

PRODUCT-DETAILS

2328 BM

2328 BM Socket outlet NEMA type 3M



General Information

Extended Product Type	2328 BM
Product ID	2CLA232800A1003
EAN	8427238053639
Catalog Description	2328 BM Socket outlet NEMA type 3M
Long Description	15 A / 127 V~ - 50/60 Hz

Technical

Product Name	Socket outlet NEMA type 3M
Rated Voltage (U_r)	127 V
Rated Current (I_n)	15 A
Frequency (f)	60 ... 60 Hz
Number of Phases	2
Number of Gangs	2
Connection Type	Screw
Mounting Type	Flush mounted (plaster)
Socket Outlet Type	NEMA
Type of Fastening	Snapper Mounting
Surface Finishing	Untreated Glossy
Material	Duroplast Plastic
Color	Cream white (electro white)
Number of Batteries	0

Environmental

Ambient Air Temperature	Operation -5 ... +35 °C Storage -5 ... +50 °C
Degree of Protection	IP20

Dimensions

Product Net Width	66 mm
Product Net Height	44 mm
Product Net Weight	0.082 kg

Container Information

Package Level 1 Units	20 piece
Package Level 1 Width	0.145 m
Package Level 1 Height	0.089 m
Package Level 1 Depth / Length	0.237 m
Package Level 1 Gross Weight	1.64 kg
Package Level 1 EAN	8427238053639

Ordering

Minimum Order Quantity	20 piece
Customs Tariff Number	85366990
Country of Origin	Portugal (PT)
Selling Unit of Measure	piece

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	No declaration needed
--------------------------------	-----------------------

Classifications

ETIM 6	EC000125 - Socket outlet
ETIM 7	EC000125 - Socket outlet
ETIM 8	EC000125 - Socket outlet
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85366990
UNSPSC	39121406

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted Modular Range - Niessen → Design Status → Flush Mounted Inserts with Cover Plate → Single Socket Outlets

Low Voltage Products and Systems → Switch Assortments → Flush Mounted Modular Range - Niessen → Design Stylo → Flush Mounted Inserts with Cover Plate → Single Socket Outlets

Low Voltage Products and Systems → Switch Assortments → Socket Outlets → Single Socket Outlets → Single Socket Outlets - Flush Mounted → Single Socket Outlets

