

PRODUCT-DETAILS

2788.4 BA

2788.4 BA Socket Schuko monoblock



General Information

Extended Product Type	2788.4 BA
Product ID	2CLA278840A1101
EAN	8427238045177
Catalog Description	2788.4 BA Socket Schuko monoblock
Long Description	16 A / 250 V~. Protection level: IP21

Technical

Product Name	Socket Schuko monoblock
Rated Voltage (U_r)	250 V
Rated Current (I_n)	16 A
Frequency (f)	50...60 Hz
Number of Phases	2
Number of Gangs	1
Connection Type	Screw
Mounting Type	Flush mounted (plaster)
Socket Outlet Type	Protective Contact (SCHUKO)
Type of Fastening	Engage (Snap)
Surface Finishing	Untreated Glossy
Material	Duroplast Plastic
Legend	Without imprint

Model Number	Protective contact (SCHUKO)
Color	White
Number of Batteries	0

Environmental

Ambient Air Temperature	Operation -5 ... +35 °C Storage -5 ... +50 °C
Degree of Protection	IP21

Dimensions

Product Net Weight	0.112 kg
--------------------	----------

Container Information

Package Level 1 Units	10 piece
Package Level 1 Width	0.174 m
Package Level 1 Height	0.102 m
Package Level 1 Depth / Length	0.238 m
Package Level 1 Gross Weight	1.12 kg
Package Level 1 EAN	8427238045177

Ordering

Minimum Order Quantity	10 piece
Customs Tariff Number	85366990
Country of Origin	Spain (ES)
Selling Unit of Measure	piece

Classifications

ETIM 6	EC000125 - Socket outlet
ETIM 7	EC000125 - Socket outlet
ETIM 8	EC000125 - Socket outlet
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85366990

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted Modular Range - Niessen → Design Status → Flush Mounted Inserts with Cover Plate → Single Socket Outlets

Low Voltage Products and Systems → Switch Assortments → Flush Mounted Modular Range - Niessen → Design Stylo → Flush Mounted Inserts with Cover Plate → Single Socket Outlets

Low Voltage Products and Systems → Switch Assortments → Socket Outlets → Single Socket Outlets → Single Socket Outlets - Flush Mounted → Single Socket Outlets

