

## PRODUCT-DETAILS

# AMD10520-SB

AMD10520-SB Switch 1-gang, 2-way, SP 10AX,  
Std rocker size - SB



## General Information

|                       |                                                                 |
|-----------------------|-----------------------------------------------------------------|
| Extended Product Type | AMD10520-SB                                                     |
| Product ID            | 2CLA610200N1501                                                 |
| EAN                   | 8427238095660                                                   |
| Catalog Description   | AMD10520-SB Switch 1-gang, 2-way, SP 10AX, Std rocker size - SB |
| Long Description      | Rated voltage: 250Vac<br>Rated current: 10AX                    |

## Technical

|                           |                                                     |
|---------------------------|-----------------------------------------------------|
| Product Name              | Switch 1-gang, 2-way, SP 10AX, Std rocker size - SB |
| Function                  | 1g2w SP switch 10AX                                 |
| Rated Voltage ( $U_r$ )   | 250 V                                               |
| Rated Current ( $I_n$ )   | 10 A                                                |
| Maximum Switching Current | Fluorescent Lamps 10                                |
| Number of Rocker Switches | 1                                                   |
| Wiring Configuration      | Two-way switch                                      |
| Actuator Type             | Rocker/button                                       |
| Connection Type           | Screw                                               |
| Mounting Type             | Flush mounted (plaster)                             |
| Type of Fastening         | Engage (Snap)                                       |
| Surface Finishing         | Decor<br>Matt                                       |
| Material                  | Metal                                               |

|                      |                 |
|----------------------|-----------------|
| Label Space Provided | No              |
| Illumination         | Non-illuminated |
| Color                | Black           |
| Number of Batteries  | 0               |

## Environmental

|                           |                                                  |
|---------------------------|--------------------------------------------------|
| Ambient Air Temperature   | Operation -5 ... +35 °C<br>Storage -5 ... +35 °C |
| Degree of Protection      | IP20                                             |
| Environmental Information | 9AKK108466A4748                                  |

## Dimensions

|                            |          |
|----------------------------|----------|
| Product Net Width          | 0.1 m    |
| Product Net Height         | 0.06 m   |
| Product Net Depth / Length | 0.165 m  |
| Product Net Weight         | 0.027 kg |

## Container Information

|                                |               |
|--------------------------------|---------------|
| Package Level 1 Units          | 10 piece      |
| Package Level 1 Width          | 0.1 m         |
| Package Level 1 Height         | 0.06 m        |
| Package Level 1 Depth / Length | 0.165 m       |
| Package Level 1 Gross Weight   | 0.27 kg       |
| Package Level 1 EAN            | 8427238095660 |

## Ordering

|                         |            |
|-------------------------|------------|
| Minimum Order Quantity  | 10 piece   |
| Customs Tariff Number   | 85365080   |
| Country of Origin       | Spain (ES) |
| Selling Unit of Measure | piece      |

## Certificates and Declarations (Document Number)

|                                |                       |
|--------------------------------|-----------------------|
| Declaration of Conformity - CE | No declaration needed |
| Environmental Information      | 9AKK108466A4748       |
| Instructions and Manuals       | 9AKK106930A7740       |

## Popular Downloads

|                                   |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 9AKK106930A7740 |
| Instructions and Manuals          | 9AKK106930A7740 |

| Classifications |                                                            |                                |
|-----------------|------------------------------------------------------------|--------------------------------|
| ETIM 6          |                                                            | EC001590 - Switch              |
| ETIM 7          |                                                            | EC001590 - Switch              |
| ETIM 8          |                                                            | EC001590 - Installation switch |
| WEEE Category   | 5. Small Equipment (No External Dimension More Than 50 cm) |                                |
| WEEE B2C / B2B  |                                                            | Business To Consumer           |
| CN8             |                                                            | 85365080                       |

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted Range BS - Niessen → Design Millenium → Flush Mounted Inserts with Cover Plate → Mechanical Switch / Push Button

Low Voltage Products and Systems → Switch Assortments → Light / LoadControl → Mechanical Switch / Push Button → Mechanical Switch / Push Button - Flush Mounted → Mechanical Switch / Push Button

