


## PRODUCT-DETAILS

# AM32144-MG

## AM32144-MG 1G telephone outlet RJ11



### General Information

|                       |                                                       |
|-----------------------|-------------------------------------------------------|
| Extended Product Type | AM32144-MG                                            |
| Product ID            | 2CLA611709N1701                                       |
| EAN                   | 8427238097268                                         |
| Catalog Description   | AM32144-MG 1G telephone outlet RJ11                   |
| Long Description      | Millenium, AM32144-MG ,4 pole<br>UTP ,2CLA611709N3101 |

### Technical

|                     |                          |
|---------------------|--------------------------|
| Product Name        | 1G telephone outlet RJ11 |
| Mounting Type       | Flush mounted (plaster)  |
| Type of Fastening   | Screw                    |
| Type of Indicator   | With indication plate    |
| Outlet Orientation  | Straight                 |
| Surface Finishing   | Decor<br>Matt            |
| Material            | Metal                    |
| Color               | Gold                     |
| Number of Batteries | 0                        |

### Environmental

|             |                         |
|-------------|-------------------------|
| Ambient Air | Operation -5 ... +35 °C |
| Temperature | Storage -5 ... +50 °C   |

|                      |      |
|----------------------|------|
| Degree of Protection | IP20 |
|----------------------|------|

## Dimensions

|                            |          |
|----------------------------|----------|
| Product Net Width          | 0.102 m  |
| Product Net Height         | 0.062 m  |
| Product Net Depth / Length | 0.102 m  |
| Product Net Weight         | 0.151 kg |

## Container Information

|                                |               |
|--------------------------------|---------------|
| Package Level 1 Units          | 1 piece       |
| Package Level 1 Width          | 0.102 m       |
| Package Level 1 Height         | 0.062 m       |
| Package Level 1 Depth / Length | 0.102 m       |
| Package Level 1 Gross Weight   | 0.151 kg      |
| Package Level 1 EAN            | 8427238097268 |

## Ordering

|                         |            |
|-------------------------|------------|
| Minimum Order Quantity  | 1 piece    |
| Customs Tariff Number   | 85369010   |
| Country of Origin       | Spain (ES) |
| Selling Unit of Measure | piece      |

## Certificates and Declarations (Document Number)

|                                |                       |
|--------------------------------|-----------------------|
| Declaration of Conformity - CE | No declaration needed |
| Instructions and Manuals       | 9AKK106930A7740       |

## Popular Downloads

|                                   |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 9AKK106930A7740 |
| Instructions and Manuals          | 9AKK106930A7740 |

## Classifications

|                |                                                            |
|----------------|------------------------------------------------------------|
| ETIM 6         | EC000018 - Insert/cover for communication technology       |
| ETIM 7         | EC000018 - Insert/cover for communication technology       |
| ETIM 8         | EC000018 - Insert/cover for communication technology       |
| WEEE Category  | 5. Small Equipment (No External Dimension More Than 50 cm) |
| WEEE B2C / B2B | Business To Consumer                                       |
| CN8            | 85369010                                                   |

---

## Categories

---

Low Voltage Products and Systems → Switch Assortments → Flush Mounted Range BS - Niessen → Design Millenium → Flush Mounted Inserts with Cover Plate → RJ45 Connector

Low Voltage Products and Systems → Switch Assortments → VDI - Voice / Data / Image Connectors → RJ45 Connector → RJ45 Connector - Flush Mounted → RJ45 Connector

