

PRODUCT-DETAILS

AM30644-AG

AM30644-AG Telephone outlet BT secondary RJ11/RJ12 1G



General Information

Extended Product Type	AM30644-AG
Product ID	2CLA611899N1601
EAN	8427238097374
Catalog Description	AM30644-AG Telephone outlet BT secondary RJ11/RJ12 1G
Long Description	AM30644-AG Telephone outlet BT secondary RJ11/RJ12 1G

Technical

Product Name	Telephone outlet BT secondary RJ11/RJ12 1G
Mounting Type	Flush mounted (plaster)
Type of Fastening	Screw
Type of Indicator	With indication plate
Outlet Orientation	Straight
Surface Finishing	Glossy
Material	Metal
Color	Gold
Number of Batteries	0

Environmental

Ambient Air Temperature	Operation -5 ... +35 °C Storage -5 ... +50 °C
Degree of Protection	IP20

Dimensions

Product Net Width	0.102 m
Product Net Height	0.062 m
Product Net Depth / Length	0.102 m
Product Net Weight	0.151 kg

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	0.102 m
Package Level 1 Height	0.062 m
Package Level 1 Depth / Length	0.102 m
Package Level 1 Gross Weight	0.151 kg
Package Level 1 EAN	8427238097374

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85369010
Country of Origin	Spain (ES)
Selling Unit of Measure	piece

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	No declaration needed
Instructions and Manuals	9AKK106930A7740

Popular Downloads

Data Sheet, Technical Information	9AKK106930A7740
Instructions and Manuals	9AKK106930A7740

Classifications

ETIM 6	EC000018 - Insert/cover for communication technology
ETIM 7	EC000018 - Insert/cover for communication technology
ETIM 8	EC000018 - Insert/cover for communication technology
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85369010

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted Range BS - Niessen → Design Millenium → Flush Mounted Inserts with Cover Plate → RJ45 Connector

Low Voltage Products and Systems → Switch Assortments → VDI - Voice / Data / Image Connectors → RJ45 Connector → RJ45 Connector - Flush Mounted → RJ45 Connector

