

PRODUCT-DETAILS

AMD60322-AN

AMD60322-AN Universal/LED rotary dimmer - 1M - AN



General Information

Extended Product Type	AMD60322-AN
Product ID	2CLA616030N1801
EAN	8427238204598
Catalog Description	AMD60322-AN Universal/LED rotary dimmer - 1M - AN
Long Description	Rated voltage: 230 Vac $\pm$ 10%. Frequency: 50/60 Hz Power (min./max load): L-mode: - LEDi (leading-edge): 4 / 100 W/VA (max. 10 lamps). T-mode: - LEDi (trailing-edge): 4 / 250 W/VA (max. 10 lamps). - LV LEDi with 12V transformer (L or LC): 4 / 250 W/VA (max. 10 lamps). - Incandescent lamps: 4 / 250 W/VA. - Halogen lamps: 10 / 250 W/VA. 3 wire connection. OFF position Back-up fuse: Electronic. Overload protection: Electronic. Ambient temperature: 0° C to +35° C. Combination with frames AMD5144-XX & 5244-XX (2-modules)

Technical

Product Name	Universal/LED rotary dimmer - 1M - AN
Function	Dimmer, Universal/LED, 1M
Material	Plastic
Color	Anthracite

Number of Batteries	0
---------------------	---

Environmental

Ambient Air Temperature	Operation -5 ... +35 °C Storage -5 ... +50 °C
Environmental Information	9AKK108466A4744

Dimensions

Product Net Width	0.023 m
Product Net Height	0.044 m
Product Net Depth / Length	0.037 m
Product Net Weight	0.034 kg

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	0.12 m
Package Level 1 Height	0.023 m
Package Level 1 Depth / Length	0.053 m
Package Level 1 Gross Weight	0.204 kg
Package Level 1 EAN	8427238204598

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85366990
Country of Origin	Spain (ES)
Selling Unit of Measure	piece

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	No declaration needed
Environmental Information	9AKK108466A4744
Instructions and Manuals	2CLX216039A1001

Popular Downloads

Data Sheet, Technical Information	No document needed
Instructions and Manuals	2CLX216039A1001

Classifications

ETIM 6	EC000125 - Socket outlet
ETIM 7	EC000125 - Socket outlet
ETIM 8	EC000025 - Dimmer

WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85369099
UNSPSC	39122206

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted Range BS - Niessen → Design Millenium → Flush Mounted Inserts with Cover Plate → Dimmers

Low Voltage Products and Systems → Switch Assortments → Flush Mounted Range BS - Niessen → Design Millenium → Flush Mounted Inserts with Cover Plate → Single Socket Outlets

Low Voltage Products and Systems → Switch Assortments → Light / LoadControl → Electronic Rotary / Push Button Dimmer (all Loads incl. LED, DALI) → Push Button Dimmer - Flush Mounted → Dimmers

Low Voltage Products and Systems → Switch Assortments → Socket Outlets → Single Socket Outlets → Single Socket Outlets - Flush Mounted → Single Socket Outlets

