

PRODUCT-DETAILS

# AM40544-AG

## AM40544-AG Electronic Card switch 16AX w/timmer - AG



### General Information

|                       |                                                                                                                               |
|-----------------------|-------------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | AM40544-AG                                                                                                                    |
| Product ID            | 2CLA621459N1601                                                                                                               |
| EAN                   | 8427238097619                                                                                                                 |
| Catalog Description   | AM40544-AG Electronic Card switch 16AX w/timmer - AG                                                                          |
| Long Description      | Rated voltage: 250Vac<br>Rated current: 16AX<br>Includes indication LED<br>Time relay : 5-90 sec.<br>Cards up to 54 mm width. |

### Technical

|                            |                                                        |
|----------------------------|--------------------------------------------------------|
| Product Name               | Electronic Card switch 16AX w/timmer - AG              |
| Function                   | Card switch with timer                                 |
| Rated Voltage ( $U_r$ )    | 250 V                                                  |
| Rated Current ( $I_n$ )    | 16 A                                                   |
| Frequency (f)              | 50...50 Hz                                             |
| Minimum Switching Capacity | 3000...3000 W                                          |
| Load Type                  | Universal                                              |
| Mounting Type              | Flush mounted (plaster)                                |
| Type of Fastening          | Mounting with Screw                                    |
| Surface Finishing          | Surface protection: Other<br>Surface finishing: Glossy |
| Material                   | Metal                                                  |

|                     |      |
|---------------------|------|
| Color               | Gold |
| Number of Batteries | 0    |

## Environmental

|                           |                                                  |
|---------------------------|--------------------------------------------------|
| Ambient Air Temperature   | Operation -5 ... +35 °C<br>Storage -5 ... +50 °C |
| Environmental Information | 9AKK108466A4748                                  |

## Dimensions

|                            |          |
|----------------------------|----------|
| Product Net Width          | 0.102 m  |
| Product Net Height         | 0.062 m  |
| Product Net Depth / Length | 0.102 m  |
| Product Net Weight         | 0.201 kg |

## Container Information

|                                |               |
|--------------------------------|---------------|
| Package Level 1 Units          | box 1 piece   |
| Package Level 1 Width          | 0.102 m       |
| Package Level 1 Height         | 0.062 m       |
| Package Level 1 Depth / Length | 0.102 m       |
| Package Level 1 Gross Weight   | 0.201 kg      |
| Package Level 1 EAN            | 8427238097619 |

## Ordering

|                         |            |
|-------------------------|------------|
| Minimum Order Quantity  | 1 piece    |
| Customs Tariff Number   | 85365080   |
| Country of Origin       | Spain (ES) |
| Selling Unit of Measure | piece      |

## Certificates and Declarations (Document Number)

|                                |                       |
|--------------------------------|-----------------------|
| Declaration of Conformity - CE | No declaration needed |
| Environmental Information      | 9AKK108466A4748       |
| Instructions and Manuals       | 2CLX811459A1001       |

## Popular Downloads

|                                   |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 9AKK106930A7740 |
| Instructions and Manuals          | 2CLX811459A1001 |

## Classifications

|        |                              |
|--------|------------------------------|
| ETIM 6 | EC001588 - Electronic switch |
| ETIM 7 | EC001588 - Electronic switch |

|                |                                                            |
|----------------|------------------------------------------------------------|
| ETIM 8         | EC001588 - Electronic switch                               |
| WEEE Category  | 5. Small Equipment (No External Dimension More Than 50 cm) |
| WEEE B2C / B2B | Business To Consumer                                       |
| CN8            | 85365080                                                   |

---

**Categories**

---

Low Voltage Products and Systems → Switch Assortments → Flush Mounted Range BS - Niessen → Design Millenium → Flush Mounted Inserts with Cover Plate → Hotel Functions

Low Voltage Products and Systems → Switch Assortments → Hotel Functions → Hotel Functions → Hotel Functions - Flush Mounted → Hotel Functions

