

PRODUCT-DETAILS

## AM32944-AG

### AM32944-AG Computer outlet RJ45 Cat.6 UTP 2G



#### General Information

|                       |                                              |
|-----------------------|----------------------------------------------|
| Extended Product Type | AM32944-AG                                   |
| Product ID            | 2CLA621869N1601                              |
| EAN                   | 8427238097794                                |
| Catalog Description   | AM32944-AG Computer outlet RJ45 Cat.6 UTP 2G |
| Long Description      | AM32944-AG Computer outlet RJ45 Cat.6 UTP 2G |

#### Technical

|                     |                                   |
|---------------------|-----------------------------------|
| Product Name        | Computer outlet RJ45 Cat.6 UTP 2G |
| Mounting Type       | Flush mounted (plaster)           |
| Type of Fastening   | Screw                             |
| Type of Indicator   | With indication plate             |
| Outlet Orientation  | Straight                          |
| Surface Finishing   | Glossy                            |
| Material            | Metal                             |
| Color               | Gold                              |
| Number of Batteries | 0                                 |

#### Environmental

|                         |                                                  |
|-------------------------|--------------------------------------------------|
| Ambient Air Temperature | Operation -5 ... +35 °C<br>Storage -5 ... +50 °C |
| Degree of Protection    | IP20                                             |

## Dimensions

|                            |          |
|----------------------------|----------|
| Product Net Width          | 0.102 m  |
| Product Net Height         | 0.062 m  |
| Product Net Depth / Length | 0.102 m  |
| Product Net Weight         | 0.161 kg |

## Container Information

|                                |               |
|--------------------------------|---------------|
| Package Level 1 Units          | 1 piece       |
| Package Level 1 Width          | 0.102 m       |
| Package Level 1 Height         | 0.062 m       |
| Package Level 1 Depth / Length | 0.102 m       |
| Package Level 1 Gross Weight   | 0.161 kg      |
| Package Level 1 EAN            | 8427238097794 |

## Ordering

|                         |            |
|-------------------------|------------|
| Minimum Order Quantity  | 1 piece    |
| Customs Tariff Number   | 85369010   |
| Country of Origin       | Spain (ES) |
| Selling Unit of Measure | piece      |

## Certificates and Declarations (Document Number)

|                                |                       |
|--------------------------------|-----------------------|
| Declaration of Conformity - CE | No declaration needed |
| Instructions and Manuals       | 9AKK106930A7740       |

## Popular Downloads

|                                   |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 9AKK106930A7740 |
| Instructions and Manuals          | 9AKK106930A7740 |

## Classifications

|                |                                                            |
|----------------|------------------------------------------------------------|
| ETIM 6         | EC000018 - Insert/cover for communication technology       |
| ETIM 7         | EC000018 - Insert/cover for communication technology       |
| ETIM 8         | EC000018 - Insert/cover for communication technology       |
| WEEE Category  | 5. Small Equipment (No External Dimension More Than 50 cm) |
| WEEE B2C / B2B | Business To Consumer                                       |
| CN8            | 85369010                                                   |

---

## Categories

---

Low Voltage Products and Systems → Switch Assortments → Flush Mounted Range BS - Niessen → Design Millenium → Flush Mounted Inserts with Cover Plate → VDI Connector

Low Voltage Products and Systems → Switch Assortments → VDI - Voice / Data / Image Connectors → VDI Connector → VDI Connector - Flush Mounted → VDI Connector

