

PRODUCT-DETAILS

AMD24144-WP

AMD24144-WP Modular Electronic Bell - 2M - WP



General Information

Extended Product Type	AMD24144-WP
Product ID	2CLA622400N2001
EAN	8427238223001
Catalog Description	AMD24144-WP Modular Electronic Bell - 2M - WP
Long Description	Rated voltage: 230 Vac / 50-60 Hz. 4 melodies available. Acoustic power at 1 meter with cover plate: 72 dB. Combination with frames AMD5144-XX & 5244-XX

Technical

Product Name	Modular Electronic Bell - 2M - WP
Function	Electronic bell
Material	Plastic
Color	White
Number of Batteries	0

Environmental

Ambient Air Temperature	Operation -5 ... +35 °C Storage -5 ... +50 °C
-------------------------	--

Dimensions

Product Net Width	0.081 mm
Product Net Height	0.047 mm
Product Net Depth / Length	0.294 mm
Product Net Weight	0.083 kg

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	77 m
Package Level 1 Height	0.50 m
Package Level 1 Depth / Length	0.297 m
Package Level 1 EAN	8427238223001

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85389099
Country of Origin	Spain (ES)
Selling Unit of Measure	piece

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	No declaration needed
Instructions and Manuals	9AKK106930A7740

Popular Downloads

Data Sheet, Technical Information	9AKK106930A7740
Instructions and Manuals	9AKK106930A7740

Classifications

ETIM 6	EC000131 - Bell
ETIM 7	EC000131 - Bell
ETIM 8	EC000131 - Bell
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85389099

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted Range BS - Niessen → Design Millenium → Flush Mounted Inserts with Cover Plate → Hotel Functions

Low Voltage Products and Systems → Switch Assortments → Hotel Functions → Hotel Functions → Hotel Functions - Flush Mounted → Hotel Functions

