

PRODUCT-DETAILS

AMD39144-WP

AMD39144-WP Modular Universal socket outlet 13A. - 2M - WP



General Information

Extended Product Type	AMD39144-WP
Product ID	2CLA623900N2001
EAN	8427238222806
Catalog Description	AMD39144-WP Modular Universal socket outlet 13A. - 2M - WP
Long Description	Rated voltage/current: 230Vac/13A, 127Vac/15A Child protection Combination with frames AMD5144-XX & AMD5244-XX

Technical

Product Name	Modular Universal socket outlet 13A. - 2M - WP
Function	Universal socket outlet 13A. Modular
Material	Plastic
Color	White
Number of Batteries	0

Environmental

Ambient Air Temperature	Operation -5 ... +35 °C Storage -5 ... +50 °C
-------------------------	--

Dimensions

Product Net Width	0.116 mm
Product Net Height	0.091 mm
Product Net Depth / Length	0.122 mm
Product Net Weight	0.083 kg

Container Information

Package Level 1 Units	10 piece
Package Level 1 Width	0.116 m
Package Level 1 Height	0.091 m
Package Level 1 Depth / Length	0.122 m
Package Level 1 EAN	8427238222806

Ordering

Minimum Order Quantity	10 piece
Customs Tariff Number	85369099
Country of Origin	China (CN)
Selling Unit of Measure	piece

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	No declaration needed
Instructions and Manuals	9AKK106930A7740

Popular Downloads

Data Sheet, Technical Information	9AKK106930A7740
Instructions and Manuals	9AKK106930A7740

Classifications

ETIM 6	EC000125 - Socket outlet
ETIM 7	EC000125 - Socket outlet
ETIM 8	EC000125 - Socket outlet
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85389099

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted Range BS - Niessen → Design Millenium → Flush Mounted Inserts with Cover Plate → Socket Outlets with Advanced Functionality

Low Voltage Products and Systems → Switch Assortments → Socket Outlets → Socket Outlets with Advanced Functionality → Socket Outlets with Advanced Functionality - Flush Mounted → Socket Outlets with Advanced Functionality

