

PRODUCT-DETAILS

AMD60344-AN

AMD60344-AN Universal/LED rotary dimmer - 1M - AN



General Information

Extended Product Type	AMD60344-AN
Product ID	2CLA626030N1801
EAN	8427238138404
Catalog Description	AMD60344-AN Universal/LED rotary dimmer - 1M - AN
Long Description	Rated voltage: 230 Vac $\pm$ 10%. Frequency: 50 Hz (Nominal power: 250 W/VA) / 60 Hz (Nominal power: 200 W/VA). Power (min./max load): - LEDi: 2 / 100 W/VA (max. 10 lamps). - Dimmable energy saving lamps: 2 / 100 W/VA (max. 10 lamps). - LV LEDi with transformer (only type L or LC): 4 / 100 W/VA (max. 10 lamps). - Incandescent lamps: 10 / 250 W/VA. - Halogen lamps: 10 / 250 W/VA. - LV halogen with transformer (only type L or LC): 10 / 250 W/VA (max. 10 lamps). 2 wire connection. Optional: auxiliary on/off with 2-way switch N2X02. Indicator LED lamp included. Back-up fuse: Electronic. Overload protection: Electronic. Ambient temperature: 0° C to +35° C. Combination with frames AMD5144-XX & 5244-XX

Technical

Product Name	Universal/LED rotary dimmer - 1M - AN
--------------	---------------------------------------

Function	Dimmer, Universal/LED, 2M
Rated Voltage (U _r)	230...230 V
Frequency (f)	50...60 Hz
Power Watt	250...250 V·A
Actuator Type	Turn button
Connection Type	Screw
Load Type	Resistive load
Mounting Type	Flush mounted (plaster)
Type of Fastening	Snapper Mounting
Surface Finishing	Surface protection: Decor Surface finishing: Matt
Material	Plastic
Color	Anthracite
Number of Batteries	0

Environmental

Ambient Air Temperature	Operation -5 ... +35 °C Storage -5 ... +50 °C
Degree of Protection	IP20

Dimensions

Product Net Width	0.076 m
Product Net Height	0.064 m
Product Net Depth / Length	0.076 m
Product Net Weight	0.08 kg

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	0.076 m
Package Level 1 Height	0.064 m
Package Level 1 Depth / Length	0.076 m
Package Level 1 Gross Weight	0.08 kg
Package Level 1 EAN	8427238138404

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85365080
Country of Origin	Germany (DE)
Selling Unit of Measure	piece

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	No declaration needed
Instructions and Manuals	2CLX226039N1001

Popular Downloads

Data Sheet, Technical Information	9AKK106930A7740
Instructions and Manuals	2CLX226039N1001

Classifications

ETIM 6	EC000025 - Dimmer
ETIM 7	EC000025 - Dimmer
ETIM 8	EC000025 - Dimmer
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85369099

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted Range BS - Niessen → Design Millenium → Flush Mounted Inserts with Cover Plate → Dimmers

Low Voltage Products and Systems → Switch Assortments → Light / LoadControl → Electronic Rotary / Push Button Dimmer (all Loads incl. LED, DALI) → Push Button Dimmer - Flush Mounted → Dimmers

