

## PRODUCT-DETAILS

# AM41344-SB

## AM41344-SB Basic rotary dimmer w/frame - SB



### General Information

|                       |                                                                                                                                                                                                                                                                            |
|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | AM41344-SB                                                                                                                                                                                                                                                                 |
| Product ID            | 2CLA626039N1501                                                                                                                                                                                                                                                            |
| EAN                   | 8427238098173                                                                                                                                                                                                                                                              |
| Catalog Description   | AM41344-SB Basic rotary dimmer w/frame - SB                                                                                                                                                                                                                                |
| Long Description      | <p>Rated voltage: 250V~ +/-10 50 Hz.<br/> Min. power: 40W / VA.<br/> Max. power:<br/> - Incandescent lamps: 400W.<br/> - Halogen lamps with ferromagnetic transformers:<br/> 300 VA.<br/> Operating temperature: 0° C to +30° C.<br/> Includes frame and metal support</p> |

### Technical

|                                 |                                  |
|---------------------------------|----------------------------------|
| Product Name                    | Basic rotary dimmer w/frame - SB |
| Function                        | Dimmer w/frame, Basic,           |
| Rated Voltage (U <sub>r</sub> ) | 230...230 V                      |
| Frequency (f)                   | 50...50 Hz                       |
| Power Watt                      | 40...400 V·A                     |
| Actuator Type                   | Turn button                      |
| Connection Type                 | Screw                            |
| Load Type                       | Resistive load                   |
| Mounting Type                   | Flush mounted (plaster)          |
| Type of Fastening               | Screw                            |

## Surface Finishing

Surface protection: Decor  
Surface finishing: Matt

|                     |       |
|---------------------|-------|
| Material            | Metal |
| Color               | Black |
| Number of Batteries | 0     |

**Environmental**

|                         |                                                  |
|-------------------------|--------------------------------------------------|
| Ambient Air Temperature | Operation -5 ... +35 °C<br>Storage -5 ... +35 °C |
| Degree of Protection    | IP20                                             |

**Dimensions**

|                            |          |
|----------------------------|----------|
| Product Net Width          | 0.102 m  |
| Product Net Height         | 0.062 m  |
| Product Net Depth / Length | 0.102 m  |
| Product Net Weight         | 0.158 kg |

**Container Information**

|                                |               |
|--------------------------------|---------------|
| Package Level 1 Units          | box 1 piece   |
| Package Level 1 Width          | 0.102 m       |
| Package Level 1 Height         | 0.062 m       |
| Package Level 1 Depth / Length | 0.102 m       |
| Package Level 1 Gross Weight   | 0.158 kg      |
| Package Level 1 EAN            | 8427238098173 |

**Ordering**

|                         |            |
|-------------------------|------------|
| Minimum Order Quantity  | 1 piece    |
| Customs Tariff Number   | 85369099   |
| Country of Origin       | Spain (ES) |
| Selling Unit of Measure | piece      |

**Certificates and Declarations (Document Number)**

|                                |                       |
|--------------------------------|-----------------------|
| Declaration of Conformity - CE | No declaration needed |
| Instructions and Manuals       | 9AKK106930A7740       |

**Popular Downloads**

|                                   |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 9AKK106930A7740 |
| Instructions and Manuals          | 9AKK106930A7740 |

**Classifications**

|        |                          |
|--------|--------------------------|
| ETIM 6 | EC000125 - Socket outlet |
| ETIM 7 | EC000125 - Socket outlet |

|                |                                                            |
|----------------|------------------------------------------------------------|
| ETIM 8         | EC000025 - Dimmer                                          |
| WEEE Category  | 5. Small Equipment (No External Dimension More Than 50 cm) |
| WEEE B2C / B2B | Business To Consumer                                       |
| CN8            | 85369010                                                   |

**Categories**

Low Voltage Products and Systems → Switch Assortments → Flush Mounted Range BS - Niessen → Design Millenium → Flush Mounted Inserts with Cover Plate → Dimmers

Low Voltage Products and Systems → Switch Assortments → Light / LoadControl → Electronic Rotary / Push Button Dimmer (all Loads incl. LED, DALI) → Push Button Dimmer - Flush Mounted → Dimmers

