


PRODUCT-DETAILS

AMD85144-AN

AMD85144-AN Modular USB Charger 2x Type-A 1,5A. - 2M - AN



General Information

Extended Product Type	AMD85144-AN
Product ID	2CLA628500N1801
EAN	8427238112893
Catalog Description	AMD85144-AN Modular USB Charger 2x Type-A 1,5A. - 2M - AN
Long Description	Input voltage: 100 - 240 Vac $\pm 10\%$; 50/60 Hz. Input current: 0,20 A (with maximum load). Output voltage: 5 Vdc $\pm 5\%$. Output current: 1.500 mA (total for both gangs). Power consumption in stand-by: $\leq 0,3W@230Vac$. Energy efficiency: $\geq 71\%$. Operating temperature: 0°C to 35°C. Combination with frames AMD5144-XX & AMD5244-XX

Technical

Product Name	Modular USB Charger 2x Type-A 1,5A. - 2M - AN
Function	USB Charger 2x Type-A 1,5A. 2M
Operational Voltage	100...240 V
Output Current Maximum (I_{out})	1500 mA
Frequency (f)	50...60 Hz
Number of Outputs	2
Mounting Type	Flush mounted (plaster)
Material	Plastic
Model Number	Breakout cable
Color	Anthracite

Number of Batteries	0
---------------------	---

Environmental

Ambient Air Temperature	Operation -5 ... +35 °C Storage -5 ... +50 °C
-------------------------	--

Dimensions

Product Net Width	0.076 m
Product Net Height	0.064 m
Product Net Depth / Length	0.076 m
Product Net Weight	0.078 kg

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	0.076 m
Package Level 1 Height	0.064 m
Package Level 1 Depth / Length	0.076 m
Package Level 1 Gross Weight	0.078 kg
Package Level 1 EAN	8427238112893

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85369010
Country of Origin	Viet Nam (VN)
Selling Unit of Measure	piece

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	No declaration needed
Instructions and Manuals	9AKK106930A7740

Popular Downloads

Data Sheet, Technical Information	9AKK106930A7740
Instructions and Manuals	9AKK106930A7740

Classifications

ETIM 6	EC002949 - USB power supply
ETIM 7	EC002949 - USB power supply
ETIM 8	EC002949 - USB power supply
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85369010

Categories

Low Voltage Products and Systems → Switch Assortments → Charging Devices → Charging Devices → Charging Devices - Flush Mounted → Charging Devices

Low Voltage Products and Systems → Switch Assortments → Flush Mounted Range BS - Niessen → Design Millenium → Flush Mounted Inserts with Cover Plate → Charging Devices

