

PRODUCT-DETAILS

## AMD111644-SB

AMD111644-SB Switch 2-gang, 2-way, SP 16AX,  
Half rocker size - SB



### General Information

|                       |                                                                   |
|-----------------------|-------------------------------------------------------------------|
| Extended Product Type | AMD111644-SB                                                      |
| Product ID            | 2CLA680210N1556                                                   |
| EAN                   | 8427238101705                                                     |
| Catalog Description   | AMD111644-SB Switch 2-gang, 2-way, SP 16AX, Half rocker size - SB |
| Long Description      | Rated voltage: 250Vac<br>Rated current: 16AX                      |

### Technical

|                           |                                                      |
|---------------------------|------------------------------------------------------|
| Product Name              | Switch 2-gang, 2-way, SP 16AX, Half rocker size - SB |
| Function                  | 2g2w SP switch 16AX, Half                            |
| Rated Voltage ( $U_r$ )   | 250 V                                                |
| Rated Current ( $I_n$ )   | 20 A                                                 |
| Maximum Switching Current | Fluorescent Lamps 20                                 |
| Number of Rocker Switches | 2                                                    |
| Wiring Configuration      | Alternating-/alternating switch                      |
| Actuator Type             | Rocker/button                                        |
| Connection Type           | Screw                                                |
| Mounting Type             | Flush mounted (plaster)                              |
| Type of Fastening         | Engage (Snap)                                        |
| Surface Finishing         | Decor<br>Matt                                        |
| Material                  | Metal                                                |

|                      |                 |
|----------------------|-----------------|
| Label Space Provided | No              |
| Illumination         | Non-illuminated |
| Color                | Black           |
| Number of Batteries  | 0               |

## Environmental

|                           |                                                  |
|---------------------------|--------------------------------------------------|
| Ambient Air Temperature   | Operation -5 ... +35 °C<br>Storage -5 ... +35 °C |
| Degree of Protection      | IP20                                             |
| Environmental Information | 9AKK108466A4748                                  |

## Dimensions

|                            |          |
|----------------------------|----------|
| Product Net Width          | 0.116 m  |
| Product Net Height         | 0.091 m  |
| Product Net Depth / Length | 0.122 m  |
| Product Net Weight         | 0.032 kg |

## Container Information

|                                |               |
|--------------------------------|---------------|
| Package Level 1 Units          | 10 piece      |
| Package Level 1 Width          | 0.116 m       |
| Package Level 1 Height         | 0.091 m       |
| Package Level 1 Depth / Length | 0.122 m       |
| Package Level 1 Gross Weight   | 0.32 kg       |
| Package Level 1 EAN            | 8427238101705 |

## Ordering

|                         |            |
|-------------------------|------------|
| Minimum Order Quantity  | 10 piece   |
| Customs Tariff Number   | 85365080   |
| Country of Origin       | Spain (ES) |
| Selling Unit of Measure | piece      |

## Certificates and Declarations (Document Number)

|                                |                       |
|--------------------------------|-----------------------|
| Declaration of Conformity - CE | No declaration needed |
| Environmental Information      | 9AKK108466A4748       |
| Instructions and Manuals       | 9AKK106930A7740       |

## Popular Downloads

|                                   |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 9AKK106930A7740 |
| Instructions and Manuals          | 9AKK106930A7740 |

**Classifications**

|                |                                                            |
|----------------|------------------------------------------------------------|
| ETIM 6         | EC001590 - Switch                                          |
| ETIM 7         | EC001590 - Switch                                          |
| ETIM 8         | EC001590 - Installation switch                             |
| WEEE Category  | 5. Small Equipment (No External Dimension More Than 50 cm) |
| WEEE B2C / B2B | Business To Consumer                                       |
| CN8            | 85365080                                                   |

**Categories**

Low Voltage Products and Systems → Switch Assortments → Flush Mounted Range BS - Niessen → Design Millenium → Flush Mounted Inserts with Cover Plate → Mechanical Switch / Push Button

Low Voltage Products and Systems → Switch Assortments → Light / LoadControl → Mechanical Switch / Push Button → Mechanical Switch / Push Button - Flush Mounted → Mechanical Switch / Push Button

