

PRODUCT-DETAILS

AM40188-ST

AM40188-ST Shaver socket outlet - ST



General Information

Extended Product Type	AM40188-ST
Product ID	2CLA680309N1101
EAN	8427238094779
Catalog Description	AM40188-ST Shaver socket outlet - ST
Long Description	Rated voltage: 20VA / 230Vac Outputs: 115V and 230V Dimensions: 150x90x54mm Flush wall box not included (45mm depth minimum)

Technical

Product Name	Shaver socket outlet - ST
Function	Shaver socket outlet
Current Rating	20 A
Mounting Type	Flush mounted (plaster)
Surface Finishing	Surface protection: Galvanized Surface finishing: Glossy
Material	Metal
Color	Stainless steel
Number of Batteries	0

Environmental

Ambient Air	Operation -5 ... +35 °C
-------------	-------------------------

Temperature

Storage -5 ... +50 °C

Dimensions

Product Net Width	0.102 m
Product Net Height	0.202 m
Product Net Depth / Length	0.113 m
Product Net Weight	0.349 kg
Built-In Depth (t ₂)	45 mm

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	0.102 m
Package Level 1 Height	0.202 m
Package Level 1 Depth / Length	0.113 m
Package Level 1 Gross Weight	0.349 kg
Package Level 1 EAN	8427238094779

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85369099
Country of Origin	China (CN)
Selling Unit of Measure	piece

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	No declaration needed
Instructions and Manuals	2CKA000173B7280

Popular Downloads

Data Sheet, Technical Information	9AKK106930A7740
Instructions and Manuals	2CKA000173B7280

Classifications

ETIM 6	EC000186 - Razor socket outlet
ETIM 7	EC000186 - Razor socket outlet
ETIM 8	EC000186 - Razor socket outlet
WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85366990

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted Range BS - Niessen → Design Millenium → Flush Mounted Inserts with Cover Plate → Hotel Functions

Low Voltage Products and Systems → Switch Assortments → Hotel Functions → Hotel Functions → Hotel Functions - Flush Mounted → Hotel Functions

