


PRODUCT-DETAILS

8101.1

8101.1 Switch 1-gang, 1-way, double pole 16A



General Information

Extended Product Type	8101.1
Product ID	2CLA810110A1001
EAN	8427238025179
Catalog Description	8101.1 Switch 1-gang, 1-way, double pole 16A
Long Description	Rated voltage: 110 - 250 Vac Rated current: 16AX Screwless terminals Included: fixing claws Optional: locator/indicator LED lamp 6192 BL (230 Vac) Rocker code: 8501, 8501.2, 8501.3, 8501.4, 8601, 8601.3, 8401, 8401.2, 8401.3, 8401.4, 8201, 8201.2, 8201.3, 8201.4, 8201.9, 5501, 5501.2, 5501.3, 5501.4 & 5501.5

Technical

Product Name	Switch 1-gang, 1-way, double pole 16A
Function	Function lighting: Orientation
Rated Voltage (U_r)	250 V
Rated Current (I_n)	16 A
Maximum Switching Current	Fluorescent Lamps 16
Number of Rocker Switches	1
Wiring Configuration	2-pole switch
Actuator Type	Rocker/button
Connection Type	Plug Clamp
Lamp Type	LED exchangeable

Mounting Type	Flush mounted (plaster)
Type of Fastening	Screw
Label Space Provided	No
Illumination	Optional
Number of Batteries	0

Environmental

Ambient Air Temperature	Operation -5 ... +35 °C Storage -5 ... +50 °C
Degree of Protection	IP20

Dimensions

Product Net Width	0.149 m
Product Net Height	0.078 m
Product Net Depth / Length	0.225 m
Product Net Weight	0.06 kg

Container Information

Package Level 1 Units	box 10 piece
Package Level 1 Width	0.149 m
Package Level 1 Height	0.078 m
Package Level 1 Depth / Length	0.225 m
Package Level 1 Gross Weight	0.6 kg
Package Level 1 EAN	8427238025179

Ordering

Minimum Order Quantity	10 piece
Customs Tariff Number	85365080
Country of Origin	Spain (ES)
Selling Unit of Measure	piece

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	9AKK106713A1744
Instructions and Manuals	2CLX810109A1001

Popular Downloads

Data Sheet, Technical Information	9AKK107046A0356
Instructions and Manuals	2CLX810109A1001

Classifications

ETIM 6	EC001590 - Switch
ETIM 7	EC001590 - Switch

ETIM 8	EC001590 - Installation switch
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85365080
UNSPSC	39122200

Categories

- Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Arco → Flush Mounted Inserts → Mechanical Switch / Push Button Inserts
- Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Olas → Flush Mounted Inserts → Mechanical Switch / Push Button Inserts
- Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Sky → Flush Mounted Inserts → Mechanical Switch / Push Button Inserts
- Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Tacto → Flush Mounted Inserts → Mechanical Switch / Push Button Inserts
- Low Voltage Products and Systems → Switch Assortments → Light / LoadControl → Mechanical Switch / Push Button → Mechanical Switch / Push Button - Flush Mounted → Mechanical Switch / Push Button Inserts

