

PRODUCT-DETAILS

B8488 BL

B8488 BL Cover schuko outlet



General Information

Extended Product Type	B8488 BL
Product ID	2CLA848800A1066
EAN	8427238049274
Catalog Description	B8488 BL Cover schuko outlet
Long Description	For socket outlets ref. 8188, 8188.5 and 8188.6

Technical

Product Name	Cover schuko outlet
Application	Wall socket
Type of Fastening	Clamp Screw
Surface Finishing	Decor Matt
Material	Metal
Legend	None
Model Number	Central cover plate
Color	Cream white (electro white)
Number of Batteries	0

Environmental

Ambient Air	Operation -5 ... +35 °C
Temperature	Storage -5 ... +50 °C

Degree of Protection

IP20

Dimensions

Product Net Width	0.17 m
Product Net Height	0.115 m
Product Net Depth / Length	0.32 m
Product Net Weight	0.037 kg

Container Information

Package Level 1 Units	box 10 piece
Package Level 1 Width	0.17 m
Package Level 1 Height	0.115 m
Package Level 1 Depth / Length	0.32 m
Package Level 1 Gross Weight	0.37 kg
Package Level 1 EAN	8427238049274

Ordering

Minimum Order Quantity	10 piece
Customs Tariff Number	85366990
Country of Origin	Spain (ES)
Selling Unit of Measure	piece

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	No declaration needed
Instructions and Manuals	2CLX840009A1001

Popular Downloads

Data Sheet, Technical Information	No document needed
Instructions and Manuals	2CLX840009A1001

Classifications

ETIM 6	EC000011 - Control element/cover plate for domestic switching devices
ETIM 7	EC000011 - Control element/cover plate for domestic switching devices
ETIM 8	EC000011 - Control element/cover plate for domestic switching devices
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85366990

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Olas → CoverPlates (partly incl. Insert) → Single Socket Outlets

Low Voltage Products and Systems → Switch Assortments → Socket Outlets → Single Socket Outlets → Single Socket Outlets - Flush Mounted → Single Socket Outlets

