

PRODUCT-DETAILS

B8504 AI

B8504 AI Blister push button



General Information

Extended Product Type	B8504 AI
Product ID	2CLA850400A1466
EAN	8427238159751
Catalog Description	B8504 AI Blister push button
Long Description	Color: Stainless Steel Rated voltage: 110 - 250 Vac Rated current: 10AX NO: Normally Open Screwless terminals Included: fixing claws Optional: locator LED lamp 6192 BL (230 Vac)

Technical

Product Name	Blister push button
Rated Voltage (U_r)	250 V
Rated Current (I_n)	10 A
Contacts Configuration	1 NO, 0 NC
Number of Poles	1
Number of Rocker Switches	1
Actuator Type	Rocker
Mounting Type	Flush mounted (plaster)
Type of Fastening	Mounting with Claw Mounting with Screw
Surface Finishing	1NO0NC

Material	Stainless steel Metal
Legend	Symbol "bell"
Model Number	Single push button
Color	Stainless steel
Number of Batteries	0

Environmental

Ambient Air Temperature	Operation -5 ... +35 °C Storage -5 ... +50 °C
Degree of Protection	IP20

Dimensions

Product Net Width	0.154 m
Product Net Height	0.099 m
Product Net Depth / Length	0.193 m
Product Net Weight	0.132 kg
Built-In Depth (t ₂)	25 mm

Container Information

Package Level 1 Units	box 5 piece
Package Level 1 Width	0.154 m
Package Level 1 Height	0.099 m
Package Level 1 Depth / Length	0.193 m
Package Level 1 Gross Weight	0.66 kg
Package Level 1 EAN	8427238159751

Ordering

Minimum Order Quantity	5 piece
Customs Tariff Number	85389099
Country of Origin	Spain (ES)
Selling Unit of Measure	piece

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	No declaration needed
Instructions and Manuals	2CLX850009A1001

Popular Downloads

Data Sheet, Technical Information	9AKK107046A0356
Instructions and Manuals	2CLX850009A1001

Classifications

ETIM 6	EC000029 - Push button
ETIM 7	EC000029 - Push-switch button
ETIM 8	EC000029 - Push-switch button
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85389099

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Sky → CoverPlates (partly incl. Insert) Sky Niessen → Mechanical Switch / Push Button

Low Voltage Products and Systems → Switch Assortments → Light / LoadControl → Mechanical Switch / Push Button → Mechanical Switch / Push Button - Flush Mounted → Mechanical Switch / Push Button

