


PRODUCT-DETAILS

8516.8 NS

8516.8 NS Cover plate for data outlet 2-gang 45° with shutter - Soft Black



General Information

Extended Product Type	8516.8 NS
Product ID	2CLA851680A1501
EAN	8427238202396
Catalog Description	8516.8 NS Cover plate for data outlet 2-gang 45° with shutter - Soft Black
Long Description	Color: Soft Black. Cover plate at 45° for two 201X.X connectors and/or and housings (refs.: 2017.2, 2017.3, 2018.5, 2018.6, 2018 and 2018.8) With labeling area for stickers With shutter Mounting plate included.

Technical

Product Name	Cover plate for data outlet 2-gang 45° with shutter - Soft Black
Number of Batteries	0

Environmental

Ambient Air Temperature	Operation -5 ... +35 °C
	Storage -5 ... +35 °C

Dimensions

Product Net Width	74 mm
-------------------	-------

Product Net Height	74 mm
Product Net Depth / Length	36 mm
Product Net Weight	0.048 kg

Container Information

Package Level 1 Units	box 5 piece
Package Level 1 Width	9 mm
Package Level 1 Height	102 mm
Package Level 1 Depth / Length	245 mm
Package Level 1 Gross Weight	0.048 kg
Package Level 1 EAN	8427238202396

Ordering

Minimum Order Quantity	5 piece
Customs Tariff Number	85389099
Country of Origin	Spain (ES)
Selling Unit of Measure	piece

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	No declaration needed
Instructions and Manuals	9AKK10103A3976

Popular Downloads

Data Sheet, Technical Information	9AKK107046A0356
Instructions and Manuals	9AKK10103A3976

Classifications

ETIM 6	EC000018 - Insert/cover for communication technology
ETIM 7	EC000018 - Insert/cover for communication technology
ETIM 8	EC000018 - Insert/cover for communication technology
WEEE Category	Product Not in WEEE Scope
WEEE B2C / B2B	Business To Consumer
CN8	85389099
UNSPSC	39121704

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Sky → CoverPlates (partly incl. Insert) Sky Niessen → RJ45 Connector

Low Voltage Products and Systems → Switch Assortments → VDI - Voice / Data / Image Connectors → RJ45 Connector → RJ45 Connector - Flush Mounted → RJ45 Connector

