


PRODUCT-DETAILS

8555.2 NS

8555.2 NS Cover plate 2RCA connection unit - Soft Black



General Information

Extended Product Type	8555.2 NS
Product ID	2CLA855520A1501
EAN	8427238148304
Catalog Description	8555.2 NS Cover plate 2RCA connection unit - Soft Black
Long Description	Color: Soft Black Cover plate for 2RCA connection unit code: 8155.2

Technical

Product Name	Cover plate 2RCA connection unit - Soft Black
Application	Cinch
Mounting Type	Flush mounted (plaster)
Type of Fastening	Clamp
Type of Indicator	Without indication field
Outlet Orientation	Straight
Surface Finishing	Decor Matt
Material	Thermoplastic Plastic
Color	Black

Environmental

Ambient Air	Operation -5 ... +35 °C
-------------	-------------------------

Temperature	Storage -5 ... +35 °C
Degree of Protection	IP20

Dimensions

Product Net Width	0.073 m
Product Net Height	0.033 m
Product Net Depth / Length	0.073 m
Product Net Weight	0.024 kg

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	0.073 m
Package Level 1 Height	0.033 m
Package Level 1 Depth / Length	0.073 m
Package Level 1 Gross Weight	0.024 kg
Package Level 1 EAN	8427238148304

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85389099
Country of Origin	Spain (ES)
Selling Unit of Measure	piece

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	No declaration needed
Instructions and Manuals	2CLX850009A1001

Popular Downloads

Data Sheet, Technical Information	9AKK107046A0356
Instructions and Manuals	2CLX850009A1001

Classifications

ETIM 6	EC000018 - Insert/cover for communication technology
ETIM 7	EC000018 - Insert/cover for communication technology
ETIM 8	EC000018 - Insert/cover for communication technology
WEEE Category	Product Not in WEEE Scope
UNSPSC	39121704

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Sky → CoverPlates (partly incl. Insert) Sky Niessen → VDI Connector

Low Voltage Products and Systems → Switch Assortments → VDI - Voice / Data / Image Connectors → VDI Connector → VDI Connector - Flush Mounted → VDI Connector

