

PRODUCT-DETAILS

463P11

463P11 Industrial plug



General Information

Extended Product Type	463P11
Product ID	2CMA101863R1000
EAN	7392696018630
Catalog Description	463P11 Industrial plug
Long Description	Industrial Plugs, 3P+N+E, 63A, 250/440 ... 265/460 V Clock Position Of Grounding Contact 11 hour Color code Red

Ordering

EAN	7392696018630
Country of Origin	Czech Republic (CZ)
Minimum Order Quantity	1 piece

Dimensions

Product Net Width	103 mm
Product Net Height	103 mm
Product Net Weight	0.720 kg

Container Information

Package Level 1 Width	114 mm
-----------------------	--------

Package Level 1 Depth / Length	114 mm
Package Level 1 Height	230 mm
Package Level 1 Gross Weight	0.720 kg
Package Level 1 EAN	7392696018630
Package Level 1 Units	box 1 piece

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CMC700005D0001
--------------------------------	-----------------

Additional Information

Additional Information	3P+N+E
Ambient Temperature	-25 ... 40 °C
Cable Cross-Section	4 ... 16 mm ²
Cable Diameter	17 ... 35 mm
Cable Entry Position	Other
Color	Red
Connection Type	Screw
Degree of Protection	IP44
Function	Plug
Invoice Description	Ind. P&S#463P11
Number of Poles	5
Product Main Type	TP
Product Name	Industrial plug
Rated Current (I_n)	63 A
Rated Voltage (U_r)	250/440 ... 265/460 V
Standards	IEC 60309-1, -2
Suitable for Product Class	IEC Industrial Plugs and Sockets
Instructions and Manuals	2CMC000040M0001
Installation Manual	2CMC000040M0001
RAL Number	RAL 7001 - Silver Grey

Technical

Wire Size	8 ... 4 AWG
Tightening Torque	WireClamp3.5 N·m

Categories

Low Voltage Products and Systems → Industrial Plugs and Sockets → Tough & Safe → Plugs

