

PRODUCT-DETAILS

4125RU9W LP

4125RU9W LP Panel mounted socket



General Information

Extended Product Type	4125RU9W LP
Product ID	2CMA101864R1000
EAN	7392696018647
Catalog Description	4125RU9W LP Panel mounted socket
Long Description	Industrial socket outlets for panel mounting, 3P+N+E, IP67, 125 A, 120/208 ... 144/250 V

Ordering

EAN	7392696018647
Country of Origin	Czech Republic (CZ)
Minimum Order Quantity	1 piece

Dimensions

Product Net Width	115 mm
Product Net Height	123 mm
Product Net Weight	1.14 kg

Container Information

Package Level 1 Width	140 mm
Package Level 1 Depth / Length	200 mm
Package Level 1 Height	135 mm
Package Level 1 Gross Weight	1.14 kg
Package Level 1 EAN	7392696018647
Package Level 1 Units	box 1 piece
Package Level 2 Width	800 mm
Package Level 2 Depth / Length	1200 mm
Package Level 2 Height	900 mm
Package Level 2 Gross Weight	193.28 kg
Package Level 2 EAN	7392696066266
Package Level 2 Units	pallet (lift) 152 piece

Environmental

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CMC700005D0001
Environmental Information	2CMC000056M0000
RoHS Information	2CMC700005D0001
REACH Declaration	2CMC700005D0001

Additional Information

Additional Information	3P+N+E
Ambient Temperature	-25 ... 40 °C
Cable Cross-Section	16 ... 70 mm ²
Color	Blue
Connection Type	Screw
Degree of Protection	IP67
Frequency (f)	50 Hz 60 Hz
Function	Outlet
Housing Material	Thermoplastic (PBT)
Invoice Description	Ind. P&S#4125RU9W LP
Mounting Holes	90x90
Number of Poles	5
Order Multiple	1 piece
Product Main Type	CRU
Product Name	Panel mounted socket
Protection Type	Watertight

Rated Current (I _n)	125 A
Rated Frequency (f)	50...60 Hz
Rated Voltage (U _r)	120/208 ... 144/250 V
Recommended Screw Driver	PH2
Standards	IEC 60309-1, -2
Suitable for Product Class	IEC Industrial Plugs and Sockets
Instructions and Manuals	2CMC000038M0001
Installation Manual	2CMC000038M0001
RAL Number	RAL 7001 - Silver Grey

Classifications

eClass	27440504
UNSPSC	39120000

Technical

Tightening Torque	WireClamp5.6 N·m
-------------------	------------------

Categories

Low Voltage Products and Systems → Industrial Plugs and Sockets → Tough & Safe → Socket Outlets for Panel Mounting

