

PRODUCT-DETAILS

416A6

Site connection unit, 6h, 16A, IP44, 3P+N+E



General Information

Extended Product Type	416A6
Product ID	2CMA168127R1000
EAN	7392696681278
Catalog Description	Site connection unit, 6h, 16A, IP44, 3P+N+E
Long Description	Site connection unit, earthing sleeve position 6h, rated current 16A, IP44 splashproof, 3-poles+neutral+earth, frequency 50-60 Hz, color code Red

Ordering

E-Number (Sweden)	E2417447
E-Number (Finland)	2421505
E-Number (Norway)	2417447
EAN	7392696681278
Country of Origin	Czech Republic (CZ)
Minimum Order Quantity	1 piece

Dimensions

Product Net Width	208 mm
Product Net Height	179 mm
Product Net Weight	0.74 kg

Container Information

Package Level 1 Width	208 mm
Package Level 1 Depth / Length	125 mm
Package Level 1 Height	179 mm
Package Level 1 Gross Weight	0.74 kg
Package Level 1 EAN	7392696681278
Package Level 1 Units	box 1 piece
Package Level 2 Width	800 mm
Package Level 2 Depth / Length	1200 mm
Package Level 2 Height	900 mm
Package Level 2 Gross Weight	94 kg
Package Level 2 EAN	7392696076517
Package Level 2 Units	pallet (lift) 100 piece

Environmental

RoHS Status	Following EU Directive 2011/65/EU
SCIP	6232ed90-8c75-4ee2-af98-60e70601b727 Czech Republic (CZ)

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CMC700005D0001
Environmental Information	2CMC000056M0000
RoHS Information	2CMC700005D0001
REACH Declaration	2CMC700005D0001

Additional Information

Additional Information	3P+N+E
Ambient Temperature	-25 ... 40 °C
Cable Length	0 m
Color	Red
Connection Type	Screw Clamp
Degree of Protection	IP44
Frequency (f)	50 Hz 60 Hz
Function	Site connection unit
Housing Material	Thermoplastic (PBT)
Invoice Description	Ind. P&S#416A6
Mounting Holes	80x158
Number of Poles	5
Order Multiple	1 piece
Product Main Type	Adaptor
Product Name	Industrial Adaptor
Rated Current (I _N)	16 A
Rated Voltage (U _r)	200/346 ... 240/415 V
Standards	IEC 60309-1, -2
Sub-Function	The enclosure has a terminal block to supply distribution boards in sheds. Tube entry Ø 25.5mm
Suitable For	416A6
Suitable for Product	IEC Industrial Plugs and Sockets

Class	
Instructions and Manuals	2CMC700014C0016
RAL Number	RAL 7001 - Silver Grey

Classifications

eClass	27440501
UNSPSC	39121406

Categories

Low Voltage Products and Systems → Industrial Plugs and Sockets → Special Plugs & Sockets → Appliances

