


PRODUCT-DETAILS

Gasket RM3416

Gasket RM3416



General Information

Extended Product Type	Gasket RM3416
Product ID	2CMA170050R1000
EAN	7392696700504
Catalog Description	Gasket RM3416
Long Description	Plugs and Sockets Accessories, Gasket RM3416, Cellpoyeten suitable for 316RAM6 and 416RAM6 (+other clock positions in 16A RAM types)

Ordering

E-Number (Sweden)	E2416478
E-Number (Finland)	2416478
E-Number (Norway)	2416478
EAN	7392696700504
Country of Origin	Czech Republic (CZ)
Minimum Order Quantity	1 piece

Dimensions

Product Net Width	89 mm
Product Net Height	83 mm
Product Net Weight	0.01 kg

Container Information

Package Level 1 Width	89 mm
Package Level 1 Depth / Length	83 mm
Package Level 1 Height	2 mm
Package Level 1 Gross Weight	0.01 kg
Package Level 1 EAN	7392696700504
Package Level 1 Units	box 1 piece

Environmental

RoHS Status	No declaration needed
-------------	-----------------------

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CMC700005D0001
Environmental Information	2CMC000057M0000
RoHS Information	2CMC700005D0001
REACH Declaration	2CMC700005D0001

Additional Information

Additional Information	2P+E, 3P+E
Ambient Temperature	-25 ... 40 °C
Degree of Protection	IP44
Function	Gasket
Invoice Description	Ind. P&S#RM3416
Number of Poles	4
Order Multiple	1 piece
Product Main Type	Gasket
Product Name	Industrial Plugs and Sockets Accessorie
Rated Current (I _n)	16 A
Standards	IEC 60309-2
Suitable For	316RAM, 416RAM, Minimized angled flange 16A
Suitable for Product Class	IEC Industrial Plugs and Sockets
Instructions and Manuals	2CMC700014C0016

Classifications

eClass	27449201
UNSPSC	39120000

Categories

Low Voltage Products and Systems → Industrial Plugs and Sockets → Service → Spares and Consumables

Low Voltage Products and Systems → Industrial Plugs and Sockets → Spare Parts and Accessories → Accessories

