

PRODUCT-DETAILS

CWB8 Insert

CWB8 Insert Outlet Box Insert



General Information

Extended Product Type	CWB8 Insert
Product ID	2CMA177372R1000
EAN	7392696773720
Catalog Description	CWB8 Insert Outlet Box Insert
Long Description	Outlet box insert with 2xSchuko outlet 10/16A, _x000D_ 1xRCB F202 A-25/0,03A, _x000D_ 2xMCB S201 C10

Ordering

E-Number (Sweden)	2446073
E-Number (Finland)	2446073
E-Number (Norway)	2446073
EAN	7392696773720
Country of Origin	Czech Republic (CZ)
Minimum Order Quantity	1 piece

Dimensions

Product Net Width	187 mm
Product Net Height	287 mm
Product Net Weight	1.2 kg

Container Information

Package Level 1 Width	192 mm
Package Level 1 Depth / Length	293 mm
Package Level 1 Height	110 mm
Package Level 1 Gross Weight	1.2 kg
Package Level 1 EAN	7392696773720
Package Level 1 Units	box 1 piece
Package Level 2 Width	800 mm
Package Level 2 Depth / Length	1200 mm
Package Level 2 Height	900 mm
Package Level 2 Gross Weight	135.2 kg
Package Level 2 EAN	7392696078498
Package Level 2 Units	pallet (lift) 96 piece

Environmental

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CMC812001D0006
Environmental Information	2CMC000071M0000
RoHS Information	2CMC812001D0006
REACH Declaration	2CMC812001D0006

Additional Information

Ambient Temperature	-25 ... 40 °C
Connection Type	Screw Clamp
Degree of Protection	IP44
Function	Box insert
Invoice Description	OutletBox#CWB8 INSERT
Number of RCDs 30mA	1
Number of RCDs	1
Number of Schuko Outlets	2
Order Multiple	1 piece
Product Main Type	CWB
Product Name	Outlet Box Insert
Protection Type	Splashproof
Rated Current (I_n)	10 A
Rated Residual Current	30 mA
Rated Voltage (U_r)	230 ... 400 V
Standards	IEC 61439-3
Suitable For	Service
Instructions and Manuals	2CMC812013M0001
Installation Manual	2CMC800001D0001, 2CMC000027M0001

Classifications	
eClass	27149226
UNSPSC	39120000

Categories
Low Voltage Products and Systems → Industrial Plugs and Sockets → Outlet boxes

