

PRODUCT-DETAILS

CWC1 Flange

CWC1 Flange Accessorie for Outlet Box



General Information

Extended Product Type	CWC1 Flange
Product ID	2CMA177392R1000
EAN	7392696773928
Catalog Description	CWC1 Flange Accessorie for Outlet Box
Long Description	"Pole flange gray The flange has a double FL13 openings and is intended to be used in both single-sided and double-sided mounting centers on standard poles Ø 60 mm."

Ordering

E-Number (Sweden)	2446038
E-Number (Finland)	3405511
E-Number (Norway)	2446038
EAN	7392696773928
Country of Origin	Czech Republic (CZ)
Minimum Order Quantity	1 piece

Dimensions

Product Net Width	140 mm
Product Net Height	100 mm
Product Net Weight	0.7 kg

Container Information

Package Level 1 Width	192 mm
Package Level 1 Depth / Length	293 mm
Package Level 1 Height	110 mm
Package Level 1 Gross Weight	0.7 kg
Package Level 1 EAN	7392696773928
Package Level 1 Units	box 1 piece
Package Level 2 Width	800 mm
Package Level 2 Depth / Length	1200 mm
Package Level 2 Height	900 mm
Package Level 2 Gross Weight	221.6 kg
Package Level 2 EAN	7392696078580
Package Level 2 Units	pallet (lift) 288 piece

Environmental

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CMC812001D0006
Environmental Information	2CMC000071M0000
RoHS Information	2CMC812001D0006
REACH Declaration	2CMC812001D0006

Additional Information

Ambient Temperature	-25 ... 40 °C
Color	Grey
Connection Type	Screw Clamp
Degree of Protection	IP44
Function	Flange
Invoice Description	OutletBox#CWC1 Flange grey 2xFL13
Order Multiple	1 piece
Product Main Type	Accessories for Outlet Box
Product Name	Accessorie for Outlet Box
Protection Type	Splashproof
Rated Voltage (U _r)	230 ... 400 V
Standards	IEC 61439-3
Suitable For	CEE 16 A
Instructions and Manuals	2CMC812004B0001
Installation Manual	2CMC800001D0001

Classifications

eClass	27149226
UNSPSC	39120000

Categories

Low Voltage Products and Systems → Industrial Plugs and Sockets → Outlet boxes

