

PRODUCT-DETAILS

CWF 30E/10A

CWF 30E/10A Outlet Box Insert



General Information

Extended Product Type	CWF 30E/10A
Product ID	2CMA177436R1000
EAN	7392696774369
Catalog Description	CWF 30E/10A Outlet Box Insert
Long Description	Outlet box insert, CWB 30E/10A Clock Position Of Grounding Contact Color code

Ordering

E-Number (Sweden)	2446054
E-Number (Finland)	2446054
E-Number (Norway)	2446054
EAN	7392696774369
Country of Origin	Czech Republic (CZ)
Minimum Order Quantity	1 piece

Dimensions

Product Net Width	187 mm
Product Net Height	100 mm
Product Net Weight	0.7 kg

Container Information

Package Level 1 Width	102 mm
Package Level 1 Depth / Length	190 mm
Package Level 1 Height	290 mm
Package Level 1 Gross Weight	0.7 kg
Package Level 1 EAN	7392696774369
Package Level 1 Units	box 1 piece
Package Level 2 Width	800 mm
Package Level 2 Depth / Length	1200 mm
Package Level 2 Height	900 mm
Package Level 2 Gross Weight	87.2 kg
Package Level 2 EAN	7392696078429
Package Level 2 Units	pallet (lift) 96 piece

Environmental

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CMC812001D0006
Environmental Information	2CMC000071M0000
RoHS Information	2CMC812001D0006
REACH Declaration	2CMC812001D0006

Additional Information

Ambient Temperature	-25 ... 40 °C
Cable Length	0 m
Color	Silver
Connection Type	Screw Clamp
Degree of Protection	IP44
Function	Outlet Box Insert
Housing Material	Aluminium
Invoice Description	OUTLETBOX#CWF 30E/10A
Number of RCDs 30mA	2
Number of RCDs	2
Order Multiple	1 piece
Product Main Type	CWF
Product Name	Outlet Box Insert
Rated Current (I _n)	10 A
Rated Residual Current	30 mA
Standards	IEC 61439-3
Suitable For	Leisure
Instructions and Manuals	2CMC812031M0002
Installation Manual	2CMC800001D0001, 2CMC812022D0001, 2CMC812031M0002, 2CMC812003D0006

Classifications

eClass	27440501
--------	----------

UNSPSC

39120000

Categories

Low Voltage Products and Systems → Industrial Plugs and Sockets → Outlet boxes

