


PRODUCT-DETAILS

FMCE54

Cover plate suitable for 16-32 A incl. screws



General Information

Extended Product Type	FMCE54
Product ID	2CMA191091R1000
EAN	7392696910910
Catalog Description	Cover plate suitable for 16-32 A incl. screws
Long Description	Cover plate for the three openings in FMCE47 if not all are used. Suits Modular Combi

Ordering

E-Number (Sweden)	99090054
EAN	7392696910910
Country of Origin	Czech Republic (CZ)
Minimum Order Quantity	1 piece

Dimensions

Product Net Width	75 mm
Product Net Height	17 mm
Product Net Weight	0.1 kg

Container Information

Package Level 1 Width	82 mm
Package Level 1 Depth /	82 mm

Length

Package Level 1 Height	19 mm
Package Level 1 Gross Weight	0.1 kg
Package Level 1 EAN	7392696910910
Package Level 1 Units	box 1 piece

Environmental

RoHS Status	No declaration needed
-------------	-----------------------

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CMC700005D0004
Environmental Information	2CMC000057M0000
RoHS Information	2CMC700057D0001
REACH Declaration	2CMC700005D0004

Additional Information

Ambient Temperature	-25 ... 40 °C
Color	Grey
Connection Type	Screw Clamp
Degree of Protection	IP44
Frequency (f)	50 Hz 60 Hz
Function	Kit for Modular Combi
Housing Material	Thermoplastic (PBT)
Invoice Description	Ind. P&S#FMCE54
Number of Poles	5
Order Multiple	1 piece
Product Main Type	FMCE
Product Name	Industrial Plugs and Sockets Accessorie
Protection Type	Splashproof
Rated Current (I_n)	16 A
Rated Voltage (U_r)	346 ... 415 V
Standards	IEC 60309-2
Suitable For	FMCE54
Suitable for Product Class	IEC Industrial Plugs and Sockets
Instructions and Manuals	2CMC700005D0034 2CMC000078M0001
Installation Manual	2CMC700005D0034
RAL Number	RAL 7001 - Silver Grey

Classifications

eClass	27149226
UNSPSC	39120000

Categories

Low Voltage Products and Systems → Industrial Plugs and Sockets → Modular Combination Boxes

Low Voltage Products and Systems → Industrial Plugs and Sockets → Modular Combination Boxes Accessories

