

PRODUCT-DETAILS

4/8SF600

4/8SF600 Fire resistance - floorstanding



General Information

Extended Product Type	4/8SF600
Product ID	2CPX042404R9999
EAN	4011617424048
Catalog Description	4/8SF600 Fire resistance - floorstanding
Long Description	Fire resistance - floorstanding, series SF, empty cabinet, for the internal use, with door and plinth, class of protection II (double insulated), degree of protection IP42, material according to A2 – not flammable, EN 13501-1, fire resistance 30 min tested according to , Reduce fire load 30 min in line with , Maintain functionality 30 min in line with , Rated operational voltage 400V AC 50/60 Hz, surface-coated, in RAL 7035, enclosure out of non flammable material, double door, door out of non flammable material, with Swivel handle with half cylinder, door opening angle 180 degree, door hinge right and left, cable entry on top via fire stop cable entry, on bottom via fire stop cable entry, dimensions in mm (H x W x D): 2068 x 1168 x 604, Ratchet unit 13 GU, Overall height 9, panel width 4, Space units 624, pre-assembled for installation with Modules, Combi-Sets, CombiLine-Module on EDF-mounting frame

Technical

Product Name	Fire resistance - floorstanding
Rated Operational Voltage	Maximum 400 V
Number of Flange Openings	4
Number of Rows	13
Cover Plate Type	None
Enclosure Type	Fire resistance - floorstanding
Enclosure Type of Height	9
Mounting Type	Floor installation

Door Type	Double
Cover Style	with Notch
DIN Place Units	624
Meter Boards	0
RAL Number	RAL 7035 - Light Grey
Color	Light grey
Thickness	Cabinet plate 72 mm Door plate 72 mm

Environmental

Degree of Protection	IP42
Protection Class	Isolated
Environmental Information	2CPC100001X0201

Dimensions

Width in Number of Modular Spacings	48
Product Net Width	1168 mm
Product Net Height	2068 mm
Product Net Depth / Length	604 mm
Product Net Weight	448 kg

Container Information

Package Level 1 Units	pack 1 piece
Package Level 1 Width	1168.000 mm
Package Level 1 Height	2068.000 mm
Package Level 1 Depth / Length	604.000 mm
Package Level 1 Gross Weight	465.92 kg
Package Level 1 EAN	4011617424048
Package Level 2 Units	12 piece
Package Level 2 Width	830 mm
Package Level 2 Height	1710 mm
Package Level 2 Depth / Length	1210 mm

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85381000
Country of Origin	Germany (DE)
Selling Unit of Measure	piece

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	No declaration needed
Environmental Information	2CPC100001X0201
Instructions and Manuals	No document needed

Popular Downloads

Data Sheet, Technical Information	No document needed
Instructions and Manuals	No document needed

Classifications

ETIM 6	EC000058 - Empty cabinet
ETIM 7	EC000058 - Empty cabinet
ETIM 8	EC000058 - Empty cabinet
EPLAN Catalog Tree	Mechanics / Housings / General
WEEE Category	Product Not in WEEE Scope
CN8	85381000
Object Classification Code	U

Safety Information

Circuit Integrity	E 30
-------------------	------

Accessories

Identifier	Description	Type	Quantity	Unit Of Measure
2CPX042432R9999	ZB900 Enclosure accessories	ZB900	1	piece

Categories

Low Voltage Products and Systems → Enclosures → Sub Distribution Boards → Fire Resistant Enclosures

