

PRODUCT-DETAILS

2/2AF302

2/2AF302 Fire resistance - wall cabinet



General Information

Extended Product Type	2/2AF302
Product ID	2CPX043272R9999
EAN	4011617432722
Catalog Description	2/2AF302 Fire resistance - wall cabinet

Long Description	Fire resistance - wall cabinet, series AF, empty cabinet, for the internal use, with Door, class of protection II (double insulated), degree of protection IP44, material according to A2 — not flammable, EN 13501-1, fire resistance 30 min tested according to , Reduce fire load 30 min in line with , Maintain functionality 30 min in line with , Rated operational voltage 400V AC 50/60 Hz, surface-coated, in RAL 7035, enclosure out of non flammable material, single-leaf door, door out of non flammable material, with Swivel handle with half cylinder, door opening angle 180 degree, door hinge right, cable entry on top via fire stop cable entry, on bottom via fire stop cable entry, dimensions in mm (H x W x D): 1048 x 648 x 349, Grid unit 6 GU, Overall height 2, panel width 2, Space units 120, pre-assembled for installation with Modules, Combi-Sets, CombiLine-Module on EDF-mounting frame
------------------	---

Technical

Product Name	Fire resistance - wall cabinet
Rated Operational Voltage	Maximum 400 V
Operational Voltage	400 V
Number of Flange Openings	2
Number of Conduit Inlets	2

Number of Rows	5
Configuration Type	pre-assembled for installation with Modules, Combi-Sets, CombiLine-Module on EDF-mounting frame
Cover Plate Type	None
Enclosure Type	Fire resistance - wall cabinet
Enclosure Type of Height	2
Mounting Type	Surface-mounted
Door Type	Single
Cover Style	with Notch
DIN Place Units	120
RAL Number	RAL 7035 - Light Grey
Color	Light grey
Thickness	Cabinet plate 72 mm Door plate 72 mm Door plate 72 mm

Environmental

Degree of Protection	IP44
Protection Class	Isolated

Dimensions

Width in Number of Modular Spacings	24
Product Net Width	648 mm
Product Net Height	1048 mm
Product Net Depth / Length	349 mm
Product Net Weight	114 kg
Built-In Depth (t ₂)	240 mm

Container Information

Package Level 1 Units	pack 1 piece
Package Level 1 Width	648.000 mm
Package Level 1 Height	1048.000 mm
Package Level 1 Depth / Length	349.000 mm
Package Level 1 Gross Weight	118.56 kg
Package Level 1 EAN	4011617432722
Package Level 2 Units	pallet (lift) 1 piece
Package Level 2 Width	800.000 mm
Package Level 2 Height	1250.000 mm
Package Level 2 Depth / Length	1200.000 mm

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85381000
Country of Origin	Germany (DE)
Selling Unit of Measure	piece

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	No declaration needed
Instructions and Manuals	No document needed

Popular Downloads

Data Sheet, Technical Information	2CPC000001C0101 2CPC000002C0101 2CPC000003B0101
Instructions and Manuals	No document needed

Classifications

ETIM 6	EC000058 - Empty cabinet
ETIM 7	EC000058 - Empty cabinet
ETIM 8	EC000058 - Empty cabinet
EPLAN Catalog Tree	Mechanics / Housings / General
WEEE Category	Product Not in WEEE Scope
CN8	85381000
Object Classification Code	U

Safety Information

Circuit Integrity	E 30
-------------------	------

Categories

Low Voltage Products and Systems → Enclosures → Sub Distribution Boards → Fire Resistant Enclosures

