

PRODUCT-DETAILS

F2 125A-B S/H

F2 125A-B S/H Signal / Auxiliary contact



General Information

Extended Product Type	F2 125A-B S/H
Product ID	2CSF200922R0001
EAN	8012542600527
Catalog Description	F2 125A-B S/H Signal / Auxiliary contact
Long Description	The F2 125A-B S/H is the Auxiliary/ Signal Contact for F200 125A and F200 B Type

Technical

Product Name	Signal / Auxiliary contact
Suitable For	F200
Suitable for Product Class	Residual Current Devices RCDs
Rated Voltage (U _r)	230 V
Number of Contacts CO	1
Number of Contacts NC	0
Number of Contacts NO	0
Number of Switches	0

Environmental

RoHS Status	Following EU Directive 2011/65/EU
Environmental Information	document not needed

Dimensions

Product Net Width	9 mm
Product Net Height	0.085 m
Product Net Depth / Length	0.068 m
Product Net Weight	0.500 kg

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	0.025 m
Package Level 1 Height	0.08 m
Package Level 1 Depth / Length	0.09 m
Package Level 1 Gross Weight	0.545 kg
Package Level 1 EAN	8012542600527

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85363030
E-Number (Sweden)	2100348
Country of Origin	Germany (DE)
Selling Unit of Measure	piece

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	9AKK106713A5575
Environmental Information	document not needed
Instructions and Manuals	9AKK107991A6134

Popular Downloads

Data Sheet, Technical Information	2CSC400002D0211
Instructions and Manuals	9AKK107991A6134

Classifications

ETIM 6	EC001286 - Auxiliary contact unit for distribution board
ETIM 7	EC001286 - Auxiliary device for distribution board devices
ETIM 8	EC001286 - Auxiliary device for distribution board devices
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85363030
Object Classification Code	F

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Residual Current Devices RCDs → Residual Current Devices RCDs Accessories

