

PRODUCT-DETAILS

AMTD-1-R P

AMTD-1-R P Digital Ammeter



General Information

Extended Product Type	AMTD-1-R P
Product ID	2CSG213645R4011
EAN	8012542136453
Catalog Description	AMTD-1-R P Digital Ammeter
Long Description	AMTD-1-R P is a front-panel digital ammeter for ac networks, with programmable relay

Technical

Product Name	Digital Ammeter
Current Type	AC
Frequency (f)	35 ... 400 Hz
	4 W
Power Loss	4 W
Accuracy	$\pm 0,5\%$ F.S. ± 1 digit at 25 °C
Measurement Scale	End 600 A
Measuring Range	5...600 A
Meter Type	Digital
Mounting Type	Front-panel
Accessories Available	Yes
Model Number	Front mounting

Environmental

Ambient Air Temperature	Operation -40 ... 55 °C
Degree of Protection	IP20
RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment
Environmental Information	See RoHS Information

Dimensions

Product Net Width	72 mm
Product Net Height	26.5 mm
Product Net Depth / Length	61.5 mm
Product Net Weight	0.350 kg

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	0.045 m
Package Level 1 Height	0.07 m
Package Level 1 Depth / Length	0.115 m
Package Level 1 Gross Weight	0.65 kg
Package Level 1 EAN	8012542136453

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	90303100
Country of Origin	Romania (RO)
Selling Unit of Measure	piece

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	9AKK106713A5697
Environmental Information	See RoHS Information
Instructions and Manuals	No document needed
RoHS Information	2CSC445007K0201

Popular Downloads

Data Sheet, Technical Information	9AKK107046A0430
Instructions and Manuals	No document needed

Classifications

ETIM 6	EC002292 - Ampere meter for installation
ETIM 7	EC002292 - Ampere meter for installation
ETIM 8	EC002292 - Ampere meter for installation
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

WEEE B2C / B2B	Business To Consumer
CN8	90303100
Object Classification Code	P

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Energy Efficiency Devices → Front Panel single function instruments

