

PRODUCT-DETAILS

AMT1-A1-30/72

AMT1-A1-30/72 Analogue Ammeter



General Information

Extended Product Type	AMT1-A1-30/72
Product ID	2CSG312080R4001
EAN	8012542546108
Catalog Description	AMT1-A1-30/72 Analogue Ammeter
Long Description	AMT1-A1-30/72 is a 72x72mm front-panel analogue ammeter used in ac networks. Direct insertion.

Technical

Product Name	Analogue Ammeter
Current Type	AC
Current Range	30 A
Power Loss	1.2 W
Accuracy	±1,5%
Measurement Scale	End 30 A
Measuring Range	0...30 A
Needle Deflection	Maximum 90 °
Meter Type	Analogue
Mounting Type	Front-panel
Model Number	Front mounting

Environmental

Ambient Air Temperature	Operation -40 ... 55 °C
Degree of Protection	IP52
RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment
Environmental Information	See RoHS Information

Dimensions

Product Net Width	72 mm
Product Net Height	0.072 m
Product Net Depth / Length	53 mm
Product Net Weight	0.200 kg
Dimensions	72 mm x 72 mm

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	0.12 m
Package Level 1 Height	0.08 m
Package Level 1 Depth / Length	0.08 m
Package Level 1 Gross Weight	0.3 kg
Package Level 1 EAN	8012542546108

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	90303100
Country of Origin	Italy (IT)
Selling Unit of Measure	piece

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	9AKK106713A5695
Environmental Information	See RoHS Information
Instructions and Manuals	No document needed
RoHS Information	2CSC445003K0201

Popular Downloads

Data Sheet, Technical Information	9AKK107046A0430
Instructions and Manuals	No document needed

Classifications

ETIM 6	EC002292 - Ampere meter for installation
ETIM 7	EC002292 - Ampere meter for installation
ETIM 8	EC002292 - Ampere meter for installation

WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	90303100
Object Classification Code	P

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Energy Efficiency Devices → Front Panel single function instruments

