

PRODUCT-DETAILS

FEED-IN 25/30 3P

FEED-IN 25/30 3P Terminal



General Information

Extended Product Type	FEED-IN 25/30 3P
Product ID	2CSL980001R2530
EAN	8012542048053
Catalog Description	FEED-IN 25/30 3P Terminal
Long Description	Insulated terminal with pin connection, length: 30 mm.

Technical

Product Name	Terminal
Suitable For	SN201, DS941, DS951
Suitable for Product Class	Miniature Circuit Breakers MCBs Residual Current Breakers with Overload Protection RCBo
Rated Operational Current (I _e)	80 A

Environmental

Environmental Information	document not needed
---------------------------	---------------------

Dimensions

Product Net Width	0.018 m
-------------------	---------

Product Net Height	0.045 m
Product Net Depth / Length	0.085 m
Product Net Weight	0.010 kg

Container Information

Package Level 1 Units	bag 5 piece
Package Level 1 Width	0.085 m
Package Level 1 Height	0.045 m
Package Level 1 Depth / Length	0.018 m
Package Level 1 Gross Weight	0.050 kg
Package Level 1 EAN	8012542048060

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85389099
E-Number (Finland)	3210880
E-Number (Sweden)	2100069
Country of Origin	Italy (IT)
Selling Unit of Measure	piece

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	9AKK107492A3973
Environmental Information	document not needed
Instructions and Manuals	No document needed

Popular Downloads

Data Sheet, Technical Information	2CSC400002D0210
Instructions and Manuals	No document needed

Classifications

ETIM 6	EC000001 - Busbar terminal
ETIM 7	EC000001 - Busbar terminal
ETIM 8	EC000001 - Busbar terminal
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85389099
Object Classification Code	Q

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Miniature Circuit Breakers MCBs Accessories → Busbars and Accessories (IEC Range)

