

PRODUCT-DETAILS

E9F10 PV1500

E9F10 PV1500 Fuse link



General Information

Extended Product Type	E9F10 PV1500
Product ID	2CSM205325R1801
EAN	8012542053255
Catalog Description	E9F10 PV1500 Fuse link
Long Description	E 9F10 PV 1500 is a 10x85 mm cylindrical fuse for photovoltaic applications

Technical

Product Name	Fuse link
Rated Voltage (U_r)	1500...1500 V
Voltage Range	1500 V DC
Rated Current (I_n)	10 A
Rated Primary Current (I_{pn})	10 A
Maximum Breaking Capacity	50 kA
Power Loss	at Rated Operating Conditions per Pole 3.09 W
Fuse Type	Cylindrical gPV
Release Type	Other
Fuse Size	Cylindrical PV 10x85

Dimensions

Product Net Width	0.010 m
-------------------	---------

Product Net Height	0.085 m
Product Net Depth / Length	0.010 m
Product Net Weight	0.010 kg
Size	10x38 mm

Container Information

Package Level 1 Units	5 piece
Package Level 1 Width	0.051 m
Package Level 1 Height	0.083 m
Package Level 1 Depth / Length	0.014 m
Package Level 1 Gross Weight	60 g
Package Level 1 EAN	8012542053255

Ordering

Minimum Order Quantity	5 piece
Customs Tariff Number	85351000
Country of Origin	Mexico (MX)
Selling Unit of Measure	piece

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	No declaration needed
Instructions and Manuals	No document needed
RoHS Information	2CSC444012K2701

Popular Downloads

Data Sheet, Technical Information	2CSC444002B0204
Instructions and Manuals	No document needed

Classifications

ETIM 6	EC002704 - Cylindrical fuse
ETIM 7	EC002704 - Cylindrical fuse
ETIM 8	EC002704 - Cylindrical fuse
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	85351000
Object Classification Code	F

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Protection and Safety Devices → Cylindrical and D0 Fuses

