

PRODUCT-DETAILS

E 9F30 PV

E 9F30 PV Fuse link



General Information

Extended Product Type	E 9F30 PV
Product ID	2CSM213586R1801
EAN	8012542135869
Catalog Description	E 9F30 PV Fuse link
Long Description	E 9F30 PV is a 10,3x38 mm cylindrical fuse for photovoltaic applications

Technical

Product Name	Fuse link
Rated Voltage (U_r)	1000...1000 V
Rated Operational Voltage	1000 V DC
Voltage Range	1000 V DC
Rated Current (I_n)	30 A
Rated Primary Current (I_{pn})	30 A
Maximum Breaking Capacity	50 kA
Power Loss	at Rated Operating Conditions per Pole 2 W
Fuse Type	Cylindrical gPV
Release Type	Other
Fuse Size	Cylindrical PV 10,3x38

Environmental

RoHS Status	Following EU Directive 2011/65/EU
Environmental Information	See RoHS Information

Dimensions

Product Net Width	0.001 m
Product Net Height	0.004 m
Product Net Depth / Length	0.001 m
Product Net Weight	0.007 kg
Dimensions	10,3x38 mm
Size	10x38 mm

Container Information

Package Level 1 Units	10 piece
Package Level 1 Width	0.045 m
Package Level 1 Height	0.11 m
Package Level 1 Depth / Length	0.06 m
Package Level 1 Gross Weight	0.05 kg
Package Level 1 EAN	8012542135869

Ordering

Minimum Order Quantity	10 piece
Customs Tariff Number	85351000
Country of Origin	Mexico (MX)
Selling Unit of Measure	piece

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	No declaration needed
Environmental Information	See RoHS Information
Instructions and Manuals	No document needed
RoHS Information	2CSC444012K2701

Popular Downloads

Data Sheet, Technical Information	2CSC400002D0209
Instructions and Manuals	No document needed

Classifications

ETIM 6	EC002704 - Cylindrical fuse
ETIM 7	EC002704 - Cylindrical fuse
ETIM 8	EC002704 - Cylindrical fuse
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

WEEE B2C / B2B	Business To Consumer
CN8	85351000
Object Classification Code	F

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Protection and Safety Devices → Cylindrical and D0 Fuses

