

PRODUCT-DETAILS

E 9F8 AM8

E 9F8 AM8 Fuse link



General Information

Extended Product Type	E 9F8 AM8
Product ID	2CSM256383R1801
EAN	8012542563839
Catalog Description	E 9F8 AM8 Fuse link
Long Description	E 9F8 AM8 is a 8,5x31,5 mm cylindrical fuse for motor protection

Technical

Product Name	Fuse link
Rated Voltage (U_r)	400...400 V
Rated Operational Voltage	400 V AC
Voltage Range	400 V AC
Rated Current (I_n)	8 A
Rated Primary Current (I_{pn})	8 A
Maximum Breaking Capacity	20 kA
Power Loss	at Rated Operating Conditions per Pole 0.47 W
Utilization Category	aM (Switchgear protection)
Fuse Type	Cylindrical aM
Release Type	Other
Fuse Size	Cylindr. IEC 8,5x31,5

Environmental

RoHS Status	Following EU Directive 2011/65/EU
Environmental Information	See RoHS Information

Dimensions

Product Net Width	0.008 m
Product Net Height	0.031 m
Product Net Depth / Length	0.009 m
Product Net Weight	0.004 kg
Dimensions	8,5x31,5 mm
Size	Other

Container Information

Package Level 1 Units	10 piece
Package Level 1 Width	0.043 m
Package Level 1 Height	0.018 m
Package Level 1 Depth / Length	0.032 m
Package Level 1 Gross Weight	0.045 kg
Package Level 1 EAN	8012542563839

Ordering

Minimum Order Quantity	10 piece
Customs Tariff Number	85361010
Replacement Product ID (NEW)	2CSM222421R1000
Country of Origin	France (FR)
Selling Unit of Measure	piece

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CSC444004D2701
Environmental Information	See RoHS Information
Instructions and Manuals	No document needed
RoHS Information	2CSC444012K2701

Popular Downloads

Data Sheet, Technical Information	2CSC444002B0204
Instructions and Manuals	No document needed

Classifications

ETIM 6	EC002704 - Cylindrical fuse
ETIM 7	EC002704 - Cylindrical fuse

ETIM 8	EC002704 - Cylindrical fuse
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85361010
Object Classification Code	F

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Protection and Safety Devices → Cylindrical and D0 Fuses

