

PRODUCT-DETAILS

DS2C-CM

DS2C-CM Motor operating device



General Information

Extended Product Type	DS2C-CM
Product ID	2CSR201997R0013
EAN	8012542135951
Catalog Description	DS2C-CM Motor operating device
Long Description	The DS2C-CM motor operating device has the function to allow the remote control (opening or closing) of the RCBO it is associated to.

Technical

Product Name	Motor operating device
Suitable For	DS201 DS202C
Suitable for Product Class	Residual Current Devices with Overcurrent Protection RCBOs
Rated Voltage (U_r)	230 V
Power Loss	1.5 W
Number of Contacts CO	0
Number of Contacts NC	0
Number of Contacts NO	0

Dimensions

Product Net Width	0.055 m
Product Net Height	0.121 m

Product Net Depth / Length	0.085 m
Product Net Weight	0.163 kg

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	0.091 m
Package Level 1 Height	0.09 m
Package Level 1 Depth / Length	0.092 m
Package Level 1 Gross Weight	0.360 kg
Package Level 1 EAN	8012542135951

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85389099
Country of Origin	Italy (IT)
Selling Unit of Measure	piece

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	9AKK106713A5575
Instructions and Manuals	9AKK107680A3324

Popular Downloads

Data Sheet, Technical Information	2CSC422004B0203
Instructions and Manuals	9AKK107680A3324

Classifications

ETIM 6	EC001286 - Auxiliary contact unit for distribution board
ETIM 7	EC001286 - Auxiliary device for distribution board devices
ETIM 8	EC001286 - Auxiliary device for distribution board devices
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85389099
Object Classification Code	Q

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Residual Current Devices RCDs → Residual Current Devices RCDs Accessories

