


PRODUCT-DETAILS

GSH203 AC S-D50/0.3

GSH203 AC S-D50/0.3 Residual Current Circuit Breaker with Overcurrent Protection



General Information

Extended Product Type	GSH203 AC S-D50/0.3
Product ID	2TAZ222303R4501
EAN	6957625389123
Catalog Description	GSH203 AC S-D50/0.3 Residual Current Circuit Breaker with Overcurrent Protection
Long Description	Residual Current Circuit Breaker with Overcurrent Protection GSH203 AC S-D50/0.3

Technical

Standards	IEC 61009 GB 16917
Product Name	Residual Current Circuit Breaker with Overcurrent Protection
Tripping Characteristic	D
Type of Residual Current	AC type
Rated Operational Voltage	400 V AC
Rated Current (I_n)	50 A
Rated Residual Current	300 mA
Rated Short-Circuit Capacity (I_{cn})	6 kA
Maximum Breaking Capacity	6 kA
Number of Poles	3
Number of Protected Poles	3
Number of Earth	1

Leakage Circuit Breakers
(ELCBs)

Operating Characteristic	Selective
Release Type	D

Technical UL/CSA

Short-Circuit Current Rating (SCCR)	300 mA
--	--------

Dimensions

Product Net Width	70 mm
Product Net Height	0.093 m
Product Net Depth / Length	69 mm
Product Net Weight	0.59 kg

Container Information

Package Level 1 EAN	6957625389123
---------------------	---------------

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85363010
Country of Origin	China (CN)
Selling Unit of Measure	piece

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	No declaration needed
Instructions and Manuals	No document needed

Popular Downloads

Data Sheet, Technical Information	1SXF400005C2013
Instructions and Manuals	No document needed

Classifications

ETIM 6	EC002281 - Distributor assembly with combination RCCB/MCB
ETIM 7	EC002281 - Distributor assembly with combination RCCB/MCB
ETIM 8	EC002281 - Distributor assembly with combination RCCB/MCB
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85363010

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Residual Current Devices RCDs → Residual Current Circuit Breakers with Overcurrent Protection RCBO

