

## PRODUCT-DETAILS

# JSTD25F

## JSTD25F Two-Hand device



### General Information

|                       |                                                                                                                                                                                                                           |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | JSTD25F                                                                                                                                                                                                                   |
| Product ID            | 2TLA020007R6000                                                                                                                                                                                                           |
| EAN                   | 7350024460322                                                                                                                                                                                                             |
| Catalog Description   | JSTD25F Two-Hand device                                                                                                                                                                                                   |
| Long Description      | Two-hand device with JSTD1-B Safeballs. Safeballs are side mounted on a 44x88 extruded aluminum profile designed for two-hand applications. Pre-wired to a M12-5 male connector with protective flanges of the safeballs. |

### Additional Information

|              |                 |
|--------------|-----------------|
| Product Name | Two-Hand device |
|--------------|-----------------|

### Safety Information

|                        |         |
|------------------------|---------|
| Performance Level (PL) | Up to e |
|------------------------|---------|

### Technical

|                          |            |
|--------------------------|------------|
| Connection Configuration | M12-5 male |
|--------------------------|------------|

---

## Popular Downloads

|                                            |                 |
|--------------------------------------------|-----------------|
| Data Sheet, Technical Information          | 2TLC010001C0202 |
| Data Sheet, Technical Information (Part 2) | 2TLC010068D0201 |
| Instructions and Manuals                   | 2TLC172185M0201 |

---

---

## Certificates and Declarations (Document Number)

|                                |                 |
|--------------------------------|-----------------|
| Declaration of Conformity - CE | 2TLC172023D0201 |
| Instructions and Manuals       | 2TLC172185M0201 |
| SEMKO Certificate              | 2TLC172034D0201 |

---

---

## Dimensions

|                            |          |
|----------------------------|----------|
| Product Net Width          | 370 mm   |
| Product Net Depth / Length | 90.5 mm  |
| Product Net Height         | 130 mm   |
| Product Net Weight         | 1.167 kg |

---

---

## Ordering

|                        |             |
|------------------------|-------------|
| Minimum Order Quantity | 1 piece     |
| Country of Origin      | Sweden (SE) |
| Customs Tariff Number  | 85365011    |

---

---

## Classifications

|                            |                                    |
|----------------------------|------------------------------------|
| Object Classification Code | B                                  |
| ETIM 7                     | EC001260 - Two-hand control device |
| ETIM 8                     | EC001260 - Two-hand control device |
| eClass                     | V11.0 : 27371219                   |
| UNSPSC                     | 32151802                           |

---

---

## Categories

Low Voltage Products and Systems → Control Products → Safety Products → Safety Control Devices → JSTD25

