

PRODUCT-DETAILS

Adam DYN-Status M12-5

Adam DYN-Status M12-5 Sensor



General Information

Extended Product Type	Adam DYN-Status M12-5
Product ID	2TLA020051R5200
EAN	7350024480313
Catalog Description	Adam DYN-Status M12-5 Sensor
Long Description	Adam safety sensor unit with DYNlink signal, StatusBus, M12-5 male connector, IP69K, yellow, 4pcs of DA 1B protection plate and 4pcs of DA 2B spacer rings are included.

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	8536508099

Popular Downloads

Data Sheet, Technical Information	2TLC010001C0202
Instructions and Manuals	2TLC172271M0201
Marketing Video	2TLC010019N0201 2TLC010018N0201

Dimensions

Product Net Depth /	12 mm
---------------------	-------

Length

Product Net Height	75.2 mm
Product Net Width	30 mm
Product Net Weight	0.026 kg

Technical

Degree of Protection	IP67 IP69K
Number of Outputs	Non-Failsafe, Undelayed Contacts 0 Non-Failsafe, Undelayed Semiconductors 1
Operating Distance (S _n)	15 mm
Performance Level (PL)	Up to e
Probability of Dangerous Failure per Hour (PFDH)	4.5 10 ⁻⁹ hour
Rated Control Supply Voltage (U _s)	24 V DC

Certificates and Declarations (Document Number)

cULus Certificate	2TLC172139D0201
Declaration of Conformity - CE	2TLC172133D0201
Instructions and Manuals	2TLC172271M0201
TÜV Certificate	2TLC172134D0201
UL Certificate	2TLC172139D0201

Classifications

Object Classification Code	B
ETIM 4	EC000030 - End switch
ETIM 5	EC000030 - End switch
ETIM 6	EC002544 - Magnetic proximity switch
ETIM 7	EC002544 - Magnetic proximity switch
eClass	V11.0 : 27272402
UNSPSC	39122221

Categories

Low Voltage Products and Systems → Control Products → Safety Products → Safety Sensors, Switches and Locks → Eden

