

PRODUCT-DETAILS

3AUA0000002412

FREQUENCY CONVERTER



General Information

Product ID	3AUA0000002412
ABB Type Designation	ACS550-01-015A-4
EAN	6410038058142
Catalog Description	FREQUENCY CONVERTER
Long Description	ACS550-01-015A-4

Complete Drive Module Efficiency (61800-9-2)

Operating Point Frequency / Current	Absolute Loss	Relative Loss	Efficiency
0 / 25 %	84 W	0.8 %	87.0 %
0 / 50 %	105 W	1.0 %	91.2 %
0 / 100 %	168 W	1.6 %	92.8 %
50 / 25 %	89 W	0.8 %	92.9 %
50 / 50 %	115 W	1.1 %	95.2 %
50 / 100 %	192 W	1.8 %	95.9 %
90 / 50 %	126 W	1.2 %	97.0 %
90 / 100 %	226 W	2.1 %	97.3 %

Ordering

Customs Tariff Number	85044088
-----------------------	----------

EAN	6410038058142
Quote Only	No
Made To Order	No
Part Type	New
Selling Unit of Measure	piece
Minimum Order Quantity	1 piece
Order Multiple	1 piece

Container Information

Gross Volume	0.053 m ³
--------------	----------------------

Dimensions

Product Net Height	469 mm
Product Net Length	222 mm
Product Net Weight	9 kg
Product Net Width	125 mm

Technical

Enclosure Class	IP21
Frequency (f)	50/60 Hz
Input Voltage (U _{in})	380 ... 480 V
IP Class	IP21
Mounting Type	Wall Mounting
Number of Phases	3

Technical Information

Following options are available only as loose options.
Please add them separately to shopping cart.

3AUA0000002040 OREL-01 ACS 550 Relay Output Extension+L511
64606891 RDNA-01 DeviceNet +K451
64606883 RLON-01 Lonworks +K452
64606859 RPBA-01 PRO FIBUS-DP +K454
64751727 RETA-01 Ethernet (Modbus TCP, EtherNet/IP) +K466
68840830 RETA-02 Ethernet (Modbus TCP, PROFINET)+K467"

Two Speed Motor	No
Communication Protocol	MODBUS LON DeviceNet PROFIBUS CAN EtherNet/IP PROFINET IO TCP/IP Other Bus Systems

Additional Information

Product Main Type	ACS550
Product Name	FREQUENCY CONVERTER

Classifications

Product Series	ACS550-01
ETIM 7	EC001857 - Frequency converter =< 1 kV

Categories

Drives → Low Voltage AC Drives → General Purpose Drives → ACS550-01 - Wall-mounted drive

