

PRODUCT-DETAILS

3AUA0000004186

FREQUENCY CONVERTER



General Information

Product ID	3AUA0000004186
ABB Type Designation	ACS550-01-04A6-2+B055
EAN	6410038103286
Catalog Description	FREQUENCY CONVERTER
Long Description	ACS550-01-04A6-2+B055

Complete Drive Module Efficiency (61800-9-2)

Operating Point Frequency / Current	Absolute Loss	Relative Loss	Efficiency
0 / 25 %	38 W	2.1 %	72.0 %
0 / 50 %	41 W	2.3 %	81.9 %
0 / 100 %	50 W	2.7 %	87.4 %
50 / 25 %	39 W	2.1 %	83.9 %
50 / 50 %	43 W	2.4 %	90.0 %
50 / 100 %	54 W	3.0 %	93.0 %
90 / 50 %	47 W	2.6 %	93.8 %
90 / 100 %	60 W	3.3 %	95.6 %

Electrical Data

Ordering

Customs Tariff Number	85044084
EAN	6410038103286
Quote Only	No
Made To Order	No
Part Type	New
Selling Unit of Measure	piece
Minimum Order Quantity	1 piece
Order Multiple	1 piece

Container Information

Gross Volume	0.068 m ³
--------------	----------------------

Dimensions

Product Net Height	449 mm
Product Net Length	234 mm
Product Net Weight	8 kg
Product Net Width	213 mm

Technical

Enclosure Class	IP54
Frequency (f)	50/60 Hz
Input Voltage (U _{in})	208 ... 240 V
Mounting Type	Wall Mounting
Number of Phases	3

Technical Information Following options are available only as loose options.
Please add them separately to shopping cart.

3AUA0000002040 OREL-01 ACS 550 Relay Output Extension+L511
64606891 RDNA-01 DeviceNet +K451
64606883 RLON-01 Lonworks +K452
64606859 RPBA-01 PROFIBUS-DP +K454
64751727 RETA-01 Ethernet (Modbus TCP, EtherNet/IP) +K466
68840830 RETA-02 Ethernet (Modbus TCP, PROFINET)+K467

Two Speed Motor	No
Communication Protocol	MODBUS LON DeviceNet PROFIBUS CAN EtherNet/IP PROFINET IO TCP/IP Other Bus Systems

Additional Information

Product Main Type	ACS550
Product Name	FREQUENCY CONVERTER

Classifications

Product Series	ACS550-01
----------------	-----------

ETIM 7

EC001857 - Frequency converter =< 1 kV

Categories

Drives → Low Voltage AC Drives → General Purpose Drives → ACS550-01 - Wall-mounted drive

