

PRODUCT-DETAILS

3GBA182410-BST

No Description Available



General Information

Product ID	3GBA182410-BST
ABB Type Designation	M2BAX 180MLA 4
Catalog Description	No Description Available

Additional Information

ABB Type Designation	M2BAX 180MLA 4
Bearing	6210-2Z/C3
Bearing NDE	6209-2Z/C3
Country of Origin	China (CN)
Customs Tariff Number	85015230
Direction of Rotation	Both sides
Electrical Data	

Conn	Temp Class	Freq	Voltage	Power	Speed	Current	Power Factor	Efficiency	Torque	IS/IN
Y	--	50 Hz	400 V	18.50 kW	1470 r/min	36.40 A	0.800	89.30 %	120.59 N·m	8.30
D	--	50 Hz	230 V	18.50 kW	1470 r/min	63.10 A	0.800	89.30 %	120.59 N·m	8.30
Y	--	50 Hz	380 V	18.50 kW	1465 r/min	37.00 A	0.830	89.30 %	120.93 N·m	7.70
D	--	50 Hz	220 V	18.50 kW	1465 r/min	64.20 A	0.830	89.30 %	120.93 N·m	7.70
Y	--	60 Hz	440 V	18.50 kW	1771 r/min	32.20 A	0.810	90.50 %	100.06 N·m	9.00
Y	--	60 Hz	460 V	18.50 kW	1774 r/min	31.60 A	0.790	90.50 %	99.89 N·m	9.70

Gross Weight	166 kg
IC Class	IC411
IE Class Data (50 Hz)	IE Class IE1 Full Load (100%) 89.3 % Partial Load (75%) 89.4 % Partial Load (50%) 88.8 %
IE Class Data (60 Hz)	IE Class IE1 Full Load (100%) 90.5 % Partial Load (75%) 90.0 % Partial Load (50%) 88.4 %
IM Class	IMB5 IM3001
IP Class	IP55
Insulation Class	ICLF
Made To Order	No
Minimum Order Quantity	1 piece
Number of Poles (High)	4
Order Multiple	1 piece
Package Level 1 Units	0 pallet (lift)
Product Name	3-Phase squirrel cage motor
Product Net Weight	156 kg
Product Type	EBA1__M2BAX_CI
Quote Only	No
Selling Unit of Measure	piece
Temperature Class Default	--
Terminator Box Location	D-End top
Two Speed Motor	No
UNSPSC	26101100
Voltage Code	S

Categories

Motors and Generators → IEC Low Voltage AC Motors → General Performance Motors → IE1 Standard Efficiency Cast Iron Motors

