

PRODUCT-DETAILS

3GBA202410-ADT

No Description Available



General Information

Product ID	3GBA202410-ADT
ABB Type Designation	M2BAX 200MLA 4
Catalog Description	No Description Available

Additional Information

ABB Type Designation	M2BAX 200MLA 4
Bearing	6212-2Z/C3
Bearing NDE	6209-2Z/C3
Country of Origin	China (CN)
Customs Tariff Number	85015230
Direction of Rotation	Both sides
Electrical Data	

Conn	Temp Class	Freq	Voltage	Power	Speed	Current	Power Factor	Efficiency	Torque	IS/IN
Y	--	50 Hz	690 V	30.00 kW	1476 r/min	33.70 A	0.810	90.70 %	193.60 N·m	6.80
D	--	50 Hz	400 V	30.00 kW	1476 r/min	58.40 A	0.810	90.70 %	193.60 N·m	6.80
Y	--	50 Hz	660 V	30.00 kW	1471 r/min	34.50 A	0.830	90.70 %	193.60 N·m	6.50
D	--	50 Hz	380 V	30.00 kW	1471 r/min	59.80 A	0.830	90.70 %	193.60 N·m	6.50
D	--	60 Hz	440 V	30.00 kW	1774 r/min	51.40 A	0.830	91.70 %	160.53 N·m	8.30
D	--	60 Hz	460 V	30.00 kW	1776 r/min	50.30 A	0.810	91.70 %	160.34 N·m	8.30

Gross Weight	232 kg
IC Class	IC411
IE Class Data (50 Hz)	IE Class IE1 Full Load (100%) 90.7 % Partial Load (75%) 90.8 % Partial Load (50%) 90.4 %
IE Class Data (60 Hz)	IE Class IE1 Full Load (100%) 91.7 % Partial Load (75%) 91.4 % Partial Load (50%) 90.6 %
IM Class	IMB3 IM1001
IP Class	IP55
Insulation Class	ICLF
Made To Order	No
Minimum Order Quantity	1 piece
Number of Poles (High)	4
Order Multiple	1 piece
Package Level 1 Units	0 pallet (lift)
Product Name	3-Phase squirrel cage motor
Product Net Weight	222 kg
Product Type	EBA1__M2BAX_CI
Quote Only	No
Selling Unit of Measure	piece
Temperature Class Default	--
Terminator Box Location	D-End top
Two Speed Motor	No
UNSPSC	26101100
Voltage Code	D

Categories

Motors and Generators → IEC Low Voltage AC Motors → General Performance Motors → IE1 Standard Efficiency Cast Iron Motors

