

PRODUCT-DETAILS

3GBA222220-BDT

No Description Available



General Information

Product ID	3GBA222220-BDT
ABB Type Designation	M2BAX 225SMB 4
Catalog Description	No Description Available

Additional Information

ABB Type Designation	M2BAX 225SMB 4
Bearing	6213-2Z/C3
Bearing NDE	6210-2Z/C3
Country of Origin	China (CN)
Customs Tariff Number	85015290
Direction of Rotation	Both sides
Electrical Data	

Conn	Temp Class	Freq	Voltage	Power	Speed	Current	Power Factor	Efficiency	Torque	IS/IN
Y	--	50 Hz	690 V	45.00 kW	1481 r/min	50.60 A	0.800	91.70 %	290.40 N·m	7.90
D	--	50 Hz	400 V	45.00 kW	1481 r/min	87.20 A	0.800	91.70 %	290.40 N·m	7.90
Y	--	50 Hz	660 V	45.00 kW	1480 r/min	50.70 A	0.830	91.70 %	291.00 N·m	7.50
D	--	50 Hz	380 V	45.00 kW	1480 r/min	88.00 A	0.830	91.70 %	291.00 N·m	7.50
D	--	60 Hz	440 V	45.00 kW	1785 r/min	80.20 A	0.780	93.00 %	241.37 N·m	9.40
D	--	60 Hz	460 V	45.00 kW	1786 r/min	78.40 A	0.770	93.00 %	241.13 N·m	10.00

Gross Weight	302 kg
IC Class	IC411
IE Class Data (50 Hz)	IE Class IE1 Full Load (100%) 91.7 % Partial Load (75%) 91.5 % Partial Load (50%) 90.8 %
IE Class Data (60 Hz)	IE Class IE1 Full Load (100%) 93.0 % Partial Load (75%) 92.3 % Partial Load (50%) 90.7 %
IM Class	IMB5 IM3001
IP Class	IP55
Insulation Class	ICLF
Made To Order	No
Minimum Order Quantity	1 piece
Number of Poles (High)	4
Order Multiple	1 piece
Package Level 1 Units	0 pallet (lift)
Product Name	3-Phase squirrel cage motor
Product Net Weight	292 kg
Product Type	EBA1__M2BAX_CI
Quote Only	No
Selling Unit of Measure	piece
Temperature Class Default	--
Terminator Box Location	D-End top
Two Speed Motor	No
UNSPSC	26101100
Voltage Code	D

Categories

Motors and Generators → IEC Low Voltage AC Motors → General Performance Motors → IE1 Standard Efficiency Cast Iron Motors

