

PRODUCT-DETAILS

FSA11

CONDUITADAPTER,FS/FD,20A,1/2 INCH



General Information

Extended Product Type	FSA11
Product ID	7TAA057260R0016
EAN	0708917181255
Catalog Description	CONDUITADAPTER,FS/FD,20A,1/2 INCH
Long Description	FS/FD 20 Amp Conduit Adapter, 1/2 Inch Tapped Hole Size, Pulg or Connector Size 10-20 Amp

Ordering

EAN	0708917181255
UPC	708917181255
Country of Origin	United States (US)
Customs Tariff Number	7609000000
Selling Unit of Measure	each

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	3 in 76 mm
Package Level 1 Height	0.5 in 13 mm
Package Level 1 Depth / Length	3 in 76 mm

Package Level 2 Units	150 piece
Package Level 2 Width	9 in 229 mm
Package Level 2 Height	8.5 in 216 mm
Package Level 2 Depth / Length	15 in 381 mm

Additional Information

Application	Adapter tapped with NPT thread to accommodate armored and non-metallic cable or flexible conduit.
Brand / Label	Russellstoll
Effective Date	19960411
Material	Aluminum
Number of Batteries	0
Product Name	ALUMINUM FITTINGS
Product Type	FS/FD Metallic Connections Systems
Special Functions	Precision-made, self-aligning and self-wiping contacts; receptacles provided with spring-actuated, self-closing flaps; available in watertight and weathertight versions; solderless screw terminals for convenient wiring

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	FSA11
Instructions and Manuals	FSA11

Classifications

ETIM 6	EC001322 - Round socket/plug for high currents
ETIM 7	EC001322 - Round socket/plug for high currents
ETIM 8	EC001322 - Round socket/plug for high currents
UNSPSC	39121404
IDEA Granular Category Code (IGCC)	4528 >> Electrical sleeves

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Pin & Sleeve Connectors

