

PRODUCT-DETAILS

755L3-K5270-SG3

35KV DB 600A THREE CONNECTOR W-SEAL



Product image
not available

General Information

Extended Product Type	755L3-K5270-SG3
Product ID	7TAA122370R0016
EAN	5415022221770
Catalog Description	35KV DB 600A THREE CONNECTOR W-SEAL
Long Description	600 Amp, 35kV, 600 Series Deadbreak 3-Way L-Kit. 200ECS-G3 Jacket Seal and Grounding Kit Included.

Ordering

EAN	5415022221770
UPC	075114154871
Country of Origin	United States (US)
Customs Tariff Number	8535908020
Selling Unit of Measure	each

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	1 in 25 mm
Package Level 1 Height	1 in 25 mm
Package Level 1 Depth / Length	1 in 25 mm

Additional Information

Application	Used to split one line into two on in, out, tap, and using the two insulating plugs as test points allows for capacitive voltage testing
Brand / Label	Elastimold
Color	Black
Connection Type	Compression
Current Rating	600 A
Effective Date	20140109
Environmental Conditions	Fully Submersible
Includes	(3) Elbows, (3) Cable Size Adapters, (3) Compression Lugs, (11) Tubes of Lubricant, (3) Basic Insulating Plugs with Caps, (3) Studs, (2) Connecting Plug, Installation Instructions, Crimp Chart.
Insulation Material	Yes, EPDM Rubber
Material	Housing - EPDM Rubber
Number of Batteries	0
Product Name	ELECTRICAL CONNECTOR,>1000V
Product Type	Deadbreak 3-Way L Kit
Size	36.13 inch Wide, 13.93 inch from Bottom of T to Center of Plug.
Special Functions	Cold-Shrinkable Seal with Copper Braid and Constant Force Spring
Standards	ANSI/IEEE Standard 386
Temperature Range	-40 to +65 °C
Voltage Rating	35 kV

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	755L3-K5270-SG3
Instructions and Manuals	755L3-K5270-SG3

Classifications

UNSPSC	39121421
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4586 >> Electrical connector assembly

Categories

Low Voltage Products and Systems → Installation Products → Cable Accessories and Apparatus → Cable Accessories



Product image
not available