

PRODUCT-DETAILS

K656SR-H2260

15/25KV 600A DB TP STR RECEPT H2260



General Information

Extended Product Type	K656SR-H2260
Product ID	7TAA122600R0131
EAN	5414363202042
Catalog Description	15/25KV 600A DB TP STR RECEPT H2260
Long Description	600 Amp, 15/25kV, 600 Series Astraight Receptacle with cable adapter, lug and retaining ring. Cable Insulation Diameter 0.850 inch to 1.050 inch. Copper Compression Lug. Conductor Size AWG Compressed Stranded 3/0 or Compacted Solid 4/0 or mmSquared Compact 95.

Ordering

EAN	5414363202042
UPC	783786538287
Country of Origin	United States (US)
Customs Tariff Number	8535908020
Selling Unit of Measure	each

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	1 in 25 mm
Package Level 1 Height	1 in 25 mm

Package Level 1 Depth /
Length1 in
25 mm

Additional Information

Application	15/25kV, 600 Amps
Brand / Label	Elastimold
Color	Black
Connection Type	Compression
Current Rating	600 A
Effective Date	20070731
Includes	1 Straight Receptacle Housing, 1 Compression Lug, 1 Stud, 1 Insulated Plug with Cap, 3 Tubes Lubricant, 1 Straight Receptacle adapter, 1 Cable adapter, 1 Adapter Retaining Ring, 1 Hardware Prepack, Crimp Chart, Installation Instruction Sheets
Insulation Material	Yes, EPDM Rubber
Material	Housing - EPDM Rubber
Number of Batteries	0
Product Name	ELECTRICAL CONNECTOR,>1000V
Product Type	Deadbreak Straight Receptacle with Test Point
Size	Diameter 4.19 inch x Length 16.98 inch
Special Functions	Fully shielded, fully submersible molded rubber housing. 100 Percent peroxide-cured construction includes insulation and conductive EPDM materials. Can be easily connected or disconnected using standard hand tools and equipment in a de-energized state. Optional accessories allow visible external separation, by-pass, isolation, dead-ending, grounding, and testing as well as adding taps.
Standards	ANSI/IEEE Standard 386
Temperature Range	-40 to +65 °C
Voltage Rating	15 to 25 kV

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	K656SR-H2260
Instructions and Manuals	K656SR-H2260

Classifications

UNSPSC	39121421
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4586 >> Electrical connector assembly

Categories

Low Voltage Products and Systems → Installation Products → Cable Accessories and Apparatus → Cable Accessories

