

PRODUCT-DETAILS

K656SR-H2270

15/25KV 600A DB TP STR RECEPT H2270



General Information

Extended Product Type	K656SR-H2270
Product ID	7TAA122600R0132
EAN	0783786435630
Catalog Description	15/25KV 600A DB TP STR RECEPT H2270
Long Description	600 Amp Straight Receptacle with Cable Adapter, Lug and Retaining Ring, with capacitive testpoint, DeadBreak, 15/25KV, Cable Insulation Diameter 0.850 inch to 1.050 inch. Copper Compression Lug. Conductor Size AWG Compressed Stranded 4/0 or kcmil Solid Compact 250 or mmSquared 126.67.

Ordering

EAN	0783786435630
UPC	783786435630
Country of Origin	United States (US)
Customs Tariff Number	8535908020
Selling Unit of Measure	each

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	1 in 25 mm
Package Level 1 Height	1 in 25 mm

Package Level 1 Depth /
Length

1 in
25 mm

Additional Information

Application	15/25kV, 600 Amps
Brand / Label	Elastimold
Color	Black
Connection Type	Compression
Current Rating	600 A
Effective Date	20040802
Includes	1 Straight Receptacle Housing, 1 Compression Lug, 1 Stud, 1 Insulated Plug with Cap, 3 Tubes Lubricant, 1 Straight Receptacle adapter, 1 Cable adapter, 1 Adapter Retaining Ring, 1 Hardware Prepack, Crimp Chart, Installation Instruction Sheets
Insulation Material	Yes, EPDM Rubber
Material	Housing - EPDM Rubber
Number of Batteries	0
Product Name	ELECTRICAL RECEPTICLE,>1000V
Product Type	Deadbreak Straight Receptacle with Test Point
Size	Diameter 4.19 inch x Length 16.98 inch
Special Functions	Fully shielded, fully submersible molded rubber housing. 100 Percent peroxide-cured construction includes insulation and conductive EPDM materials. Can be easily connected or disconnected using standard hand tools and equipment in a de-energized state. Optional accessories allow visible external separation, by-pass, isolation, dead-ending, grounding, and testing as well as adding taps.
Standards	ANSI/IEEE Standard 386
Temperature Range	-40 to +65 °C
Voltage Rating	15 to 25 kV

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	K656SR-H2270
Instructions and Manuals	K656SR-H2270

Classifications

UNSPSC	39121421
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4586 >> Electrical connector assembly

Categories

Low Voltage Products and Systems → Installation Products → Cable Accessories and Apparatus → Cable Accessories

